



HINGE
SERIES

PIVOT-PRO

PIVOT-PRO

Perfect motion for every single space

Door Closing-Soft and Smooth



- The well-made DTC integrated soft-close hinges fit with a plenty of cabinet doors, supporting and facilitating designers ideas. The hinge's effortless opening, evenly speeded soft-closing and long durability contribute to the enjoyment of the furniture users.
- 3D adjustments providing exceptional functions: without loosening one screw, up & down, in & out and side to side adjustments are done.



Quietness



Intelligence



Durability




Eco-Friendliness



PIVOT-PRO combines an elegant appearance with durable components, including an integrated damping system to ensure effortless opening and smooth soft-closing of doors.


DTC
Quality by Design

HINGE SERIES PIVOT-PRO



A full range of standard and special application hinges provides options for various styles of cabinets and furniture. The new titanium black and titanium gold finish options provide a high fashion appearance as well as additional corrosion resistance.

ORDER INFORMATION



Two-hole mounting plate

| | | | | | | | |
|------|----------|----------------|-----------------------------|--------------------------|----------|----------|----------|
| | | Pcs/ctn 200 | Color Nickel plated(A01) | Height of mounting plate | Item No. | Item No. | Item No. |
| | | | | H=0 | 89H00AQ | 89H01AQ | 89H02AQ |
| | | | | H=2 | 89H20AQ | 89H21AQ | 89H22AQ |
| | | | | H=4 | 89H40AQ | 89H41AQ | 89H42AQ |
| | | | | H=9 | 89H90AQ | 89H91AQ | 89H92AQ |
| H=18 | 89H180AQ | 89H181AQ | 89H182AQ | | | | |

Four-hole mounting plate

| | | | | | | | |
|------|----------|----------------|-----------------------------|--------------------------|----------|--|--|
| | | Pcs/ctn 200 | Color Nickel plated(A01) | Height of mounting plate | Item No. | | |
| | | | | H=0 | 89H00EQ | | |
| | | | | H=2 | 89H20EQ | | |
| | | | | H=4 | 89H40EQ | | |
| | | | | H=9 | 89H90EQ | | |
| H=18 | 89H180EQ | | | | | | |

Up&down cam adjustable mounting plate

| | | | | | | | |
|------|----------|----------------|---|--------------------------|----------|----------|----------|
| | | Pcs/ctn 200 | Color Nickel plated(A01) Specially treated(A11) | Height of mounting plate | Item No. | Item No. | Item No. |
| | | | | H=0 | 89T00TQ | 89T01TQ | 89T02TQ |
| | | | | H=2 | 89T20TQ | 89T21TQ | 89T22TQ |
| | | | | H=4 | 89T40TQ | 89T41TQ | 89T42TQ |
| | | | | H=9 | 89T90TQ | 89T91TQ | 89T92TQ |
| H=18 | 89T180TQ | 89T181TQ | 89T182TQ | | | | |


Up&down cam adjustable mounting plate

| | | | | | | | |
|--|--|----------------|-----------------------------|--------------------------|----------|----------|----------|
| | | Pcs/ctn 200 | Color Nickel plated(A01) | Height of mounting plate | Item No. | Item No. | Item No. |
| | | | | H=0 | 85T00TQ | 85T01TQ | 85T02TQ |
| | | | | H=2 | 85T20TQ | 85T21TQ | 85T22TQ |
| | | | | H=4 | 85T40TQ | 85T41TQ | 85T42TQ |

In-line mounting plate

| | | | | | | | |
|--|--|----------------|-----------------------------|--------------------------|----------|--|--|
| | | Pcs/ctn 200 | Color Nickel plated(A01) | Height of mounting plate | Item No. | | |
| | | | | H=2 | 80H20YQ | | |
| | | | | H=4 | 80H40YQ | | |

ORDER INFORMATION



| | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|
| Item No. | Item No. | Item No. | Item No. | Item No. | Item No. | Item No. |
| 89H0QAQ | 89H04AQ | 89H0NAQ | 89H0GAQ | 89H0LAQ | 89H0MAQ | 89H0PAQ |
| 89H2QAQ | 89H24AQ | 89H2NAQ | 89H2GAQ | 89H2LAQ | 89H2MAQ | 89H2PAQ |
| 89H4QAQ | 89H44AQ | 89H4NAQ | 89H4GAQ | 89H4LAQ | 89H4MAQ | 89H4PAQ |
| 89H9QAQ | 89H94AQ | 89H9NAQ | 89H9GAQ | 89H9LAQ | 89H9MAQ | 89H9PAQ |
| 89H18QAQ | 89H184AQ | 89H18NAQ | 89H18GAQ | 89H18LAQ | 89H18MAQ | 89H18PAQ |

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|
| Item No. | Item No. | Item No. | Item No. | Item No. | Item No. | Item No. |
| 89T0QTQ | 89T04TQ | 89T0NTQ | 89T0GTQ | 89T0LTQ | 89T0MTQ | 89T0PTQ |
| 89T2QTQ | 89T24TQ | 89T2NTQ | 89T2GTQ | 89T2LTQ | 89T2MTQ | 89T2PTQ |
| 89T4QTQ | 89T44TQ | 89T4NTQ | 89T4GTQ | 89T4LTQ | 89T4MTQ | 89T4PTQ |
| 89T9QTQ | 89T94TQ | 89T9NTQ | 89T9GTQ | 89T9LTQ | 89T9MTQ | 89T9PTQ |
| 89T18QTQ | 89T184TQ | 89T18NTQ | 89T18GTQ | 89T18LTQ | 89T18MTQ | 89T18PTQ |

| | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|
| Item No. | Item No. | Item No. | Item No. | Item No. | Item No. | Item No. |
| 85T0QTQ | 85T04TQ | 85T0NTQ | 85T0GTQ | 85T0LTQ | 85T0MTQ | 85T0PTQ |
| 85T2QTQ | 85T24TQ | 85T2NTQ | 85T2GTQ | 85T2LTQ | 85T2MTQ | 85T2PTQ |
| 85T4QTQ | 85T44TQ | 85T4NTQ | 85T4GTQ | 85T4LTQ | 85T4MTQ | 85T4PTQ |

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |