

HINGE
SERIES

PIVOT-STAR

PIVOT-STAR

Innovative Technology
Silent and Effortless Closing Action

Anyway Snap-on
Speed Adjustable Soft-close
Hinges with Spiral-cam



- Adjustable door closing creates a high-quality feel
- Three intuitive hinge attachment possibilities make door mounting and dismantling a quick and comfortable process.
- Effortless opening, smooth and silent closing combined with high quality manufacturing for a lasting customer experience.



Quietness



Intelligence



Durability




Eco-Friendliness



IF award-winning hinge, with Innovative design and excellent functions of adjustable door closing speed, brings perfect motion to every space and elevates the quality of any cabinet or furniture.

DTC
Quality by technique

HINGE SERIES PIVOT-STAR



The new technique of anyway snap-on attachment is quick and convenient.

Any of three hinge-to-plate assembly methods can be performed.


- Front pivot towards back
- Rear pivot towards front
- Sideways straight press-on

Not only is the efficiency of door attachment improved, but also the connection between hinge and plate stronger. The Anyway snap-on feature is particularly useful in situations of tall doors with multiple hinges.



Durable, excellent performance

Two-stage closing force control to reduce door rebound and provide longer life. Soft-close activates even within a small opening angle. Effortless opening with smooth and silent closing creates a comfortable feel.



4D adjustment provides perfect door alignment and motion

With easy adjustments for the side, depth, height, and door closing speed of cabinet doors, PIVOT-STAR makes the home convenient and comfortable.

ORDER INFORMATION

		E-28A screw	
Two-hole mounting plate			
		Pcs/ctn 200	Height of mounting plate
		Nickel plated(A01)	H=0
		Specially treated(A11)	H=2
			H=4
			Item No.
			81H00AQA
			81H20AQA
			81H40AQA
Four-hole mounting plate			
		Pcs/ctn 200	Height of mounting plate
		Nickel plated(A01)	H=0
		Specially treated(A11)	H=2
			H=4
			Item No.
			81H00EQA
			81H20EQA
			81H40EQA
Two-hole cam adjustable mounting plate			
		Pcs/ctn 200	Height of mounting plate
		Nickel plated(A01)	H=0
		Specially treated(A11)	H=2
			H=4
			Item No.
			81T00TQA
			81T20TQA
			81T40TQA
In-line cam adjustable mounting plate			
		Pcs/ctn 200	Height of mounting plate
		Nickel plated(A01)	H=0
		Specially treated(A11)	H=2
			H=4
			Item No.
			81H00YQA
			81H20YQA
			81H40YQA

E-98Q3 screw		Euro screw		E983 screw		003E dowel	
Item No.		Item No.		Item No.			
81H01AQA		81H02AQA		81H04AQA			
81H21AQA		81H22AQA		81H24AQA			
81H41AQA		81H42AQA		81H44AQA			
Item No.		Item No.		Item No.			
81H01EQA		81H02EQA		81H04EQA			
81H21EQA		81H22EQA		81H24EQA			
81H41EQA		81H42EQA		81H44EQA			
Item No.		Item No.		Item No.			
81T01TQA		81T02TQA		81T04TQA			
81T21TQA		81T22TQA		81T24TQA			
81T41TQA		81T42TQA		81T44TQA			
Item No.		Item No.		Item No.			
		81H02YQA105		81H0MYQA			
		81H22YQA105		81H2MYQA			
		81H42YQA105		81H4MYQA			