



## LEGEND OF ICONS USED IN THIS CATALOGUE:



product warranty periods



surfaces easy to keep clean



lower water consumption



eco-friendly character and money saving



manually controlled aerator (movable)



with a flexible spout



with a pull-out spout



touch water trigger function



cleaning agent with a hydrophobic effect



surface cleaning and protective agent



with a click-clack drain



with a lift rod



bath mixer



rainshower



kitchen mixer



washbasin mixer



bidet mixer



shower type



applications


SANITARY FITTINGS  
PREMIUM CLASS







MOZA




| PRODUCT DESCRIPTION            | MOZA WALL-MOUNTED BATH MIXER                                                                                              |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                         |
| Assembly:                      | two-hole                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 21.5                                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | 150 ± 15 mm                                                                                                               |
| Net weight:                    | 1.606 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | -/1                                                                                                                       |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500678 | 5034-010-00 |



| PRODUCT DESCRIPTION            | MOZA BLACK WALL-MOUNTED BATH MIXER                                                                                        |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                         |
| Assembly:                      | two-hole                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/black                                                                                                               |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 21.5                                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | 150 ± 15 mm                                                                                                               |
| Net weight:                    | 1.606 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | -/1                                                                                                                       |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500685 | 5034-010-81 |

**PRODUCT DESCRIPTION**


|                                       |                                                                                                                           |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>PKWiU:</b>                         | 28.14.12-33.03.01                                                                                                         |
| <b>Assembly:</b>                      | two-hole                                                                                                                  |
| <b>Quantity in unit packaging:</b>    | 1                                                                                                                         |
| <b>Material/colour:</b>               | brass/brushed gold                                                                                                        |
| <b>Spout:</b>                         | fixed                                                                                                                     |
| <b>Working pressure [atm]:</b>        | 3                                                                                                                         |
| <b>Water flow [l/min]:</b>            | 21.5                                                                                                                      |
| <b>Type:</b>                          | wall-mounted                                                                                                              |
| <b>Distance between connectors:</b>   | 150 ± 15 mm                                                                                                               |
| <b>Net weight:</b>                    | 1.606 kg                                                                                                                  |
| <b>Control element:</b>               | Ø35 ceramic cartridge                                                                                                     |
| <b>Spout (L/no. of streams):</b>      | -/1                                                                                                                       |
| <b>Anti-siphon valve:</b>             | -                                                                                                                         |
| <b>Acoustic group:</b>                | II                                                                                                                        |
| <b>Certificates and declarations:</b> | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

590757150512

**INDEX**

5034-010-31

**PRODUCT DESCRIPTION**


|                                       |                                                                                                                           |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>PKWiU:</b>                         | 28.14.12-33.03.01                                                                                                         |
| <b>Assembly:</b>                      | two-hole                                                                                                                  |
| <b>Quantity in unit packaging:</b>    | 1                                                                                                                         |
| <b>Material/colour:</b>               | brass/chrome                                                                                                              |
| <b>Spout:</b>                         | fixed                                                                                                                     |
| <b>Working pressure [atm]:</b>        | 3                                                                                                                         |
| <b>Water flow [l/min]:</b>            | 30                                                                                                                        |
| <b>Type:</b>                          | wall-mounted                                                                                                              |
| <b>Distance between connectors:</b>   | 150 ± 15 mm                                                                                                               |
| <b>Net weight:</b>                    | 2.170 kg                                                                                                                  |
| <b>Control element:</b>               | Ø35 ceramic cartridge                                                                                                     |
| <b>Spout (L/no. of streams):</b>      | -/1                                                                                                                       |
| <b>Anti-siphon valve:</b>             | yes                                                                                                                       |
| <b>Acoustic group:</b>                | II                                                                                                                        |
| <b>Certificates and declarations:</b> | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571505185

**INDEX**

5034-020-00

**PRODUCT DESCRIPTION**


|                                       |                                                                                                                           |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>PKWiU:</b>                         | 28.14.12-33.03.01                                                                                                         |
| <b>Assembly:</b>                      | two-hole                                                                                                                  |
| <b>Quantity in unit packaging:</b>    | 1                                                                                                                         |
| <b>Material/colour:</b>               | brass/black                                                                                                               |
| <b>Spout:</b>                         | fixed                                                                                                                     |
| <b>Working pressure [atm]:</b>        | 3                                                                                                                         |
| <b>Water flow [l/min]:</b>            | 30                                                                                                                        |
| <b>Type:</b>                          | wall-mounted                                                                                                              |
| <b>Distance between connectors:</b>   | 150 ± 15 mm                                                                                                               |
| <b>Net weight:</b>                    | 2.170 kg                                                                                                                  |
| <b>Control element:</b>               | Ø35 ceramic cartridge                                                                                                     |
| <b>Spout (L/no. of streams):</b>      | -/1                                                                                                                       |
| <b>Anti-siphon valve:</b>             | yes                                                                                                                       |
| <b>Acoustic group:</b>                | II                                                                                                                        |
| <b>Certificates and declarations:</b> | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571505192

**INDEX**

5034-020-81


**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWIU:                         | 28.14.12-33.03.01                                                                                                         |
| Assembly:                      | two-hole                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/brushed gold                                                                                                        |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 30                                                                                                                        |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | 150 ± 15 mm                                                                                                               |
| Net weight:                    | 2.170 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | -/1                                                                                                                       |
| Anti-siphon valve:             | yes                                                                                                                       |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

907571505208

**INDEX**

5034-020-31


**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWIU:                         | 28.14.12-33.03.01                                                                                                         |
| Assembly:                      | two-hole                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | spout: 30/shower: 18                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | 150 ± 15 mm                                                                                                               |
| Net weight:                    | 2.710 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | -/1                                                                                                                       |
| Anti-siphon valve:             | yes                                                                                                                       |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571505215

**INDEX**

5034-520-00


**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWIU:                         | 28.14.12-33.03.01                                                                                                         |
| Assembly:                      | two-hole                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/black                                                                                                               |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | spout: 30/shower: 18                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | 150 ± 15 mm                                                                                                               |
| Net weight:                    | 2.710 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | -/1                                                                                                                       |
| Anti-siphon valve:             | yes                                                                                                                       |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571505222

**INDEX**

5034-520-81

**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                         |
| Assembly:                      | two-hole                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/brushed gold                                                                                                        |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | spout: 30/shower: 18                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | 150 ± 15 mm                                                                                                               |
| Net weight:                    | 2.710 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | -/1                                                                                                                       |
| Anti-siphon valve:             | yes                                                                                                                       |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571505239

**INDEX**

5034-520-31

**PRODUCT DESCRIPTION**


|                                |                                                                                                                            |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                          |
| Assembly:                      | two-hole                                                                                                                   |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Material/colour:               | brass/chrome                                                                                                               |
| Spout:                         | fixed                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                          |
| Water flow [l/min]:            | 20                                                                                                                         |
| Type:                          | wall-mounted                                                                                                               |
| Distance between connectors:   | 150 ± 15 mm                                                                                                                |
| Net weight:                    | 2.050 kg                                                                                                                   |
| Control element:               | SEDAL thermostatic cartridge                                                                                               |
| Spout (L/no. of streams):      | -/1                                                                                                                        |
| Anti-siphon valve:             | yes                                                                                                                        |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571570220

**INDEX**

5734-010-00

**PRODUCT DESCRIPTION**


|                                |                                                                                                                            |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                          |
| Assembly:                      | two-hole                                                                                                                   |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Material/colour:               | brass/black                                                                                                                |
| Spout:                         | fixed                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                          |
| Water flow [l/min]:            | 20                                                                                                                         |
| Type:                          | wall-mounted                                                                                                               |
| Distance between connectors:   | 150 ± 15 mm                                                                                                                |
| Net weight:                    | 2.050 kg                                                                                                                   |
| Control element:               | SEDAL thermostatic cartridge                                                                                               |
| Spout (L/no. of streams):      | -/1                                                                                                                        |
| Anti-siphon valve:             | yes                                                                                                                        |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571570268

**INDEX**

5734-010-81



#### PRODUCT DESCRIPTION


| PRODUCT DESCRIPTION            | MOZA STANDING BATH MIXER                                                                                                                        |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                                               |
| Assembly:                      | floor-mounted with an assembly box                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Hose length:                   | 1500 mm                                                                                                                                         |
| Spout:                         | rotating, aerator with a water stream angle adjustment                                                                                          |
| Spout range:                   | 210 mm                                                                                                                                          |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | -                                                                                                                                               |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 17/spout: 24                                                                                                                       |
| Type:                          | standing                                                                                                                                        |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 7.070 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571843270

#### INDEX

5035-510-00



#### PRODUCT DESCRIPTION


| PRODUCT DESCRIPTION            | MOZA BLACK STANDING BATH MIXER                                                                                                                  |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                                               |
| Assembly:                      | floor-mounted with an assembly box                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/black                                                                                                               |
| Hose material/colour:          | PVC/black                                                                                                                                       |
| Hose length:                   | 1500 mm                                                                                                                                         |
| Spout:                         | rotating, aerator with a water stream angle adjustment                                                                                          |
| Spout range:                   | 210 mm                                                                                                                                          |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | -                                                                                                                                               |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 17/spout: 24                                                                                                                       |
| Type:                          | standing                                                                                                                                        |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 7.070 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571843270

#### INDEX

5035-510-81



#### PRODUCT DESCRIPTION


| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD STANDING BATH MIXER                                                                                                           |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                                               |
| Assembly:                      | floor-mounted with an assembly box                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/brushed gold                                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                                |
| Hose length:                   | 1500 mm                                                                                                                                         |
| Spout:                         | rotating, aerator with a water stream angle adjustment                                                                                          |
| Spout range:                   | 210 mm                                                                                                                                          |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | -                                                                                                                                               |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 17/spout: 24                                                                                                                       |
| Type:                          | standing                                                                                                                                        |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 7.070 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571843270

#### INDEX

5035-510-31



#### PRODUCT DESCRIPTION


|                                |                                                                                                                            |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                          |
| Assembly:                      | two-hole                                                                                                                   |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Material/colour:               | brass/chrome                                                                                                               |
| Spout:                         | -                                                                                                                          |
| Working pressure [atm]:        | 3                                                                                                                          |
| Water flow [l/min]:            | 20                                                                                                                         |
| Type:                          | wall-mounted                                                                                                               |
| Distance between connectors:   | 150 ± 15 mm                                                                                                                |
| Net weight:                    | 1.780 kg                                                                                                                   |
| Control element:               | SEDAL thermostatic cartridge                                                                                               |
| Spout (L/no. of streams):      | -                                                                                                                          |
| Anti-siphon valve:             | yes                                                                                                                        |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571570237

#### INDEX

5736-010-00



#### PRODUCT DESCRIPTION


|                                |                                                                                                                            |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.03.01                                                                                                          |
| Assembly:                      | two-hole                                                                                                                   |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Material/colour:               | brass/black                                                                                                                |
| Spout:                         | -                                                                                                                          |
| Working pressure [atm]:        | 3                                                                                                                          |
| Water flow [l/min]:            | 20                                                                                                                         |
| Type:                          | wall-mounted                                                                                                               |
| Distance between connectors:   | 150 ± 15 mm                                                                                                                |
| Net weight:                    | 1.780 kg                                                                                                                   |
| Control element:               | SEDAL thermostatic cartridge                                                                                               |
| Spout (L/no. of streams):      | -                                                                                                                          |
| Anti-siphon valve:             | yes                                                                                                                        |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571570275

#### INDEX

5736-010-81



#### PRODUCT DESCRIPTION


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | -                                                                                                                         |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | rotating                                                                                                                  |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | -                                                                                                                         |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.332 kg                                                                                                                  |
| Control element:               | ceramic cartridge                                                                                                         |
| Spout (L/no. of streams):      | 128 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571831765

#### INDEX

835-670-00

**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | -                                                                                                                         |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/black                                                                                                               |
| Spout:                         | rotating                                                                                                                  |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | -                                                                                                                         |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.332 kg                                                                                                                  |
| Control element:               | ceramic cartridge                                                                                                         |
| Spout (L/no. of streams):      | 128 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571831772

**INDEX**

835-670-81

**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | -                                                                                                                         |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/brushed gold                                                                                                        |
| Spout:                         | rotating                                                                                                                  |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | -                                                                                                                         |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.332 kg                                                                                                                  |
| Control element:               | ceramic cartridge                                                                                                         |
| Spout (L/no. of streams):      | 128 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571831864

**INDEX**

835-670-31

**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | stainless steel/chrome                                                                                                    |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.464 kg                                                                                                                  |
| Control element:               | -                                                                                                                         |
| Spout (L/no. of streams):      | 179 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571831833


**INDEX**

836-004-00




| PRODUCT DESCRIPTION            | MOZA BLACK CONCEALED BATH SPOUT                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | stainless steel/black                                                                                                     |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.464 kg                                                                                                                  |
| Control element:               | -                                                                                                                         |
| Spout (L/no. of streams):      | 179 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571831840 | 836-004-81 |




| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD CONCEALED BATH SPOUT                                                                                    |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | stainless steel/brushed gold                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.464 kg                                                                                                                  |
| Control element:               | -                                                                                                                         |
| Spout (L/no. of streams):      | 179 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571831857 | 836-004-31 |




| PRODUCT DESCRIPTION            | MOZA STANDING WASHBASIN MIXER + CLICK-CLACK DRAIN                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | single hole                                                                                                               |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 5                                                                                                                         |
| Type:                          | standing                                                                                                                  |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.458 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 114 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |


| EAN           | INDEX       |
|---------------|-------------|
| 5907571500579 | 5032-815-00 |




|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571500586 | 5032-815-81  |



|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571500760 | 5032-815-31  |




|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571500593 | 5032-612-00  |




| PRODUCT DESCRIPTION            | MOZA BLACK STANDING COUNTERTOP WASHBASIN MIXER + CLICK-CLACK DRAIN                                                        |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWJU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | single hole                                                                                                               |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/black                                                                                                               |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 5                                                                                                                         |
| Type:                          | standing                                                                                                                  |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.890 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 162 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571500609 | 5032-612-81  |




| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD STANDING COUNTERTOP WASHBASIN MIXER + CLICK-CLACK DRAIN                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | single hole                                                                                                               |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/brushed gold                                                                                                        |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 5                                                                                                                         |
| Type:                          | standing                                                                                                                  |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.840 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 162 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571500777 | 5032-612-31  |



| PRODUCT DESCRIPTION            | MOZA CONCEALED WASHBASIN MIXER                                                                                            |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 6                                                                                                                         |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.455 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 173 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571500616 | 5039-810-00  |



#### PRODUCT DESCRIPTION


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/black                                                                                                               |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 6                                                                                                                         |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.455 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 173 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571500623

#### INDEX

5039-810-81



#### PRODUCT DESCRIPTION


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/brushed gold                                                                                                        |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 6                                                                                                                         |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.467 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 173 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571500784

#### INDEX

5039-810-31



#### PRODUCT DESCRIPTION


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.05.01                                                                                                         |
| Assembly:                      | single hole                                                                                                               |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 5                                                                                                                         |
| Type:                          | standing                                                                                                                  |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.338 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 123 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571500715

#### INDEX

5037-015-00

**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.05.01                                                                                                         |
| Assembly:                      | single hole                                                                                                               |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/black                                                                                                               |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 5                                                                                                                         |
| Type:                          | standing                                                                                                                  |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.338 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 123 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571500722

**INDEX**

5037-015-81

**PRODUCT DESCRIPTION**


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.05.01                                                                                                         |
| Assembly:                      | single hole                                                                                                               |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/brushed gold                                                                                                        |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 5                                                                                                                         |
| Type:                          | standing                                                                                                                  |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.338 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 123 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571500791

**INDEX**

5037-015-31

**PRODUCT DESCRIPTION**


|                                |                                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                                               |
| Assembly:                      | concealed                                                                                                                                       |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass/chrome                                                                                                                                    |
| Spout:                         | fixed                                                                                                                                           |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | 8                                                                                                                                               |
| Type:                          | wall-mounted                                                                                                                                    |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 1.280 kg                                                                                                                                        |
| Control element:               | Ø25 ceramic cartridge                                                                                                                           |
| Spout (L/no. of streams):      | -/1                                                                                                                                             |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571500630


**INDEX**

5039-512-00




| PRODUCT DESCRIPTION            | MOZA BLACK CONCEALED BIDET MIXER                                                                                                               |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiu:                         | 28.14.12-33.01.01                                                                                                                              |
| Assembly:                      | concealed                                                                                                                                      |
| Quantity in unit packaging:    | 1                                                                                                                                              |
| Material/colour:               | brass/black                                                                                                                                    |
| Spout:                         | fixed                                                                                                                                          |
| Working pressure [atm]:        | 3                                                                                                                                              |
| Water flow [l/min]:            | 8                                                                                                                                              |
| Type:                          | wall-mounted                                                                                                                                   |
| Distance between connectors:   | -                                                                                                                                              |
| Net weight:                    | 1.280 kg                                                                                                                                       |
| Control element:               | Ø25 ceramic cartridge                                                                                                                          |
| Spout (L/no. of streams):      | -/1                                                                                                                                            |
| Anti-siphon valve:             | -                                                                                                                                              |
| Acoustic group:                | II                                                                                                                                             |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 111/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571500647 | 5039-512-81  |



| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD CONCEALED BIDET MIXER                                                                                                        |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| PKW/U:                         | 28.14.12-33.01.01                                                                                                                              |
| Assembly:                      | concealed                                                                                                                                      |
| Quantity in unit packaging:    | 1                                                                                                                                              |
| Material/colour:               | brass/brushed gold                                                                                                                             |
| Spout:                         | fixed                                                                                                                                          |
| Working pressure [atm]:        | 3                                                                                                                                              |
| Water flow [l/min]:            | 8                                                                                                                                              |
| Type:                          | wall-mounted                                                                                                                                   |
| Distance between connectors:   | -                                                                                                                                              |
| Net weight:                    | 1.280 kg                                                                                                                                       |
| Control element:               | Ø25 ceramic cartridge                                                                                                                          |
| Spout (L/no. of streams):      | -/1                                                                                                                                            |
| Anti-siphon valve:             | -                                                                                                                                              |
| Acoustic group:                | II                                                                                                                                             |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 111/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571505130 | 5039-512-31 |



| PRODUCT DESCRIPTION            | MOZA CONCEALED SHOWER SET                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Shower head diameter:          | 300 mm                                                                                                                                          |
| Bar length/hose length:        | 380 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 19                                                                                                                 |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 4.760 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500739 | 5039-501-00 |




| PRODUCT DESCRIPTION            | MOZA BLACK CONCEALED SHOWER SET                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                               |
| Hose material/colour:          | PVC/black                                                                                                                                       |
| Shower head diameter:          | 300 mm                                                                                                                                          |
| Bar length/hose length:        | 380 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 19                                                                                                                 |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 4.760 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500746 | 5039-501-81 |




| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD CONCEALED SHOWER SET                                                                                                          |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/brushed gold                                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                                |
| Shower head diameter:          | 300 mm                                                                                                                                          |
| Bar length/hose length:        | 380 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 19                                                                                                                 |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 4.760 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500753 | 5039-501-31 |




| PRODUCT DESCRIPTION            | MOZA CONCEALED BATH SET                                                                                                                         |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Spout length/hose length:      | 179 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 16/spout: 19.5                                                                                                                     |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 3.670 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571505147 | 5039-401-00 |




| PRODUCT DESCRIPTION            | MOZA BLACK CONCEALED BATH SET                                                                                                                   |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/black                                                                                                               |
| Hose material/colour:          | PVC/black                                                                                                                                       |
| Spout length/hose length:      | 179 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 16/spout: 19.5                                                                                                                     |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 3.670 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571505154 | 5039-401-81 |




| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD CONCEALED BATH SET                                                                                                            |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/brushed gold                                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                                |
| Spout length/hose length:      | 179 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 16/spout: 19.5                                                                                                                     |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 3.670 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571505147 | 5039-401-31 |



| PRODUCT DESCRIPTION            | MOZA RAINSHOWER SET WITH A SHOWER MIXER                                                                                                               |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                                            |
| Shower head diameter:          | 225 mm                                                                                                                                                |
| Bar length/hose length:        | 930-1370 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 8.5/shower head: 11.7                                                                                                                    |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 3.700 kg                                                                                                                                              |
| Control element:               | Ø35 ceramic cartridge                                                                                                                                 |
| Diverter:                      | ceramic                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500838 | 5036-910-00 |

**PRODUCT DESCRIPTION**


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head diameter:          | 225 mm                                                                                                                                                |
| Bar length/hose length:        | 930-1370 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 8.5/shower head: 11.7                                                                                                                    |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 3.700 kg                                                                                                                                              |
| Control element:               | Ø35 ceramic cartridge                                                                                                                                 |
| Diverter:                      | ceramic                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571500845

**INDEX**

5036-910-81

**PRODUCT DESCRIPTION**


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                                            |
| Shower head diameter:          | 225 mm                                                                                                                                                |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 9/shower head: 15                                                                                                                        |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 4.880 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571570206

**INDEX**

5736-910-00

**PRODUCT DESCRIPTION**


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head diameter:          | 225 mm                                                                                                                                                |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 9/shower head: 15                                                                                                                        |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 4.750 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571570213

**INDEX**

5736-910-81



### PRODUCT DESCRIPTION


|                                |                                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                      |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                             |
| No. of hand shower streams:    | 3                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                               |
| Water flow [l/min]:            | hand shower: 14.5/shower head: 16                                                                                               |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 5.780 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570305

### INDEX

5736-920-00



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head diameter:          | 300 mm                                                                                                                                                |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 14.5/shower head: 16                                                                                                                     |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 5.780 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570312

### INDEX

5736-920-81



### PRODUCT DESCRIPTION


|                                |                                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/brushed gold                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                             |
| No. of hand shower streams:    | 3                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                               |
| Water flow [l/min]:            | hand shower: 14.5/shower head: 16.5                                                                                             |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 5.780 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570343


### INDEX

5736-920-31




| PRODUCT DESCRIPTION            | MOZA BATH RAINSHOWER SET WITH A THERMOSTATIC SHOWER MIXER                                                                       |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                      |
| Shower head diameter:          | 225 mm                                                                                                                          |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                               |
| No. of hand shower streams:    | 3                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                               |
| Water flow [l/min]:            | hand shower: 9/shower head: 15                                                                                                  |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 5.060 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571570350 | 5736-911-00  |



| PRODUCT DESCRIPTION            | MOZA BLACK BATH RAINSHOWER SET WITH A THERMOSTATIC SHOWER MIXER                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                               |
| Hose material/colour:          | PVC/black                                                                                                                       |
| Shower head diameter:          | 225 mm                                                                                                                          |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                               |
| No. of hand shower streams:    | 3                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                               |
| Water flow [l/min]:            | hand shower: 9/shower head: 15                                                                                                  |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 5.060 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |


|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571570367 | 5736-911-81  |



| PRODUCT DESCRIPTION            | MOZA PREMIUM BATH<br>RAINSHOWER SET WITH<br>A THERMOSTATIC SHOWER MIXER                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                      |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                               |
| No. of hand shower streams:    | 1                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 1                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 20                                                                                                 |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 6.380 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance. Hysienic Attestation |


|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571570374 | 5736-921-00  |






| PRODUCT DESCRIPTION            | MOZA BLACK PREMIUM BATH RAINSHOWER SET WITH A THERMOSTATIC SHOWER MIXER                                                          |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| PKWJU:                         | 28.14.12-33.04.01                                                                                                                |
| Assembly:                      | two-hole                                                                                                                         |
| Quantity in unit packaging:    | 1                                                                                                                                |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                |
| Hose material/colour:          | PVC/black                                                                                                                        |
| Shower head diameter:          | 300 mm                                                                                                                           |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                                |
| No. of hand shower streams:    | 1                                                                                                                                |
| Cleaning system:               | Easy Clean                                                                                                                       |
| Working pressure [atm]:        | 1                                                                                                                                |
| Water flow [l/min]:            | hand shower: 15/shower head: 20                                                                                                  |
| Type:                          | wall-mounted                                                                                                                     |
| Distance between connectors:   | 150 ± 15                                                                                                                         |
| Net weight:                    | 6.380 kg                                                                                                                         |
| Control element:               | SEDAL thermostatic cartridge                                                                                                     |
| Anti-siphon valve:             | -                                                                                                                                |
| Acoustic group:                | II                                                                                                                               |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance. Hviejonic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571570381 | 5736-921-81  |




| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD PREMIUM BATH RAINSHOWER SET WITH A THERMOSTATIC SHOWER MIXER                                                  |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWJU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/brushed gold                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                               |
| No. of hand shower streams:    | 1                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 1                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 20                                                                                                 |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 6.380 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571570398 | 5736-921-31  |




| PRODUCT DESCRIPTION            | MOZA SLIDING SHOWER SET                                                                                                               |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                            |
| Assembly:                      | -                                                                                                                                     |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                            |
| Shower head diameter:          | -                                                                                                                                     |
| Bar length/hose length:        | 700 mm/1500 mm                                                                                                                        |
| No. of hand shower streams:    | 3                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | -                                                                                                                                     |
| Water flow [l/min]:            | 9                                                                                                                                     |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | -                                                                                                                                     |
| Net weight:                    | 0.996 kg                                                                                                                              |
| Control element:               | -                                                                                                                                     |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571843218 | 841-365-00   |




| PRODUCT DESCRIPTION            | MOZA BLACK SLIDING SHOWER SET                                                                                                         |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                            |
| Assembly:                      | -                                                                                                                                     |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                             |
| Shower head diameter:          | -                                                                                                                                     |
| Bar length/hose length:        | 700 mm/1500 mm                                                                                                                        |
| No. of hand shower streams:    | 3                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | -                                                                                                                                     |
| Water flow [l/min]:            | 9                                                                                                                                     |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | -                                                                                                                                     |
| Net weight:                    | 0.996 kg                                                                                                                              |
| Control element:               | -                                                                                                                                     |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843225 | 841-365-81 |




| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD SLIDING SHOWER SET                                                                                                  |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                            |
| Assembly:                      | -                                                                                                                                     |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/brushed gold                                                                                              |
| Hose material/colour:          | PVC/brushed gold                                                                                                                      |
| Shower head diameter:          | -                                                                                                                                     |
| Bar length/hose length:        | 700 mm/1500 mm                                                                                                                        |
| No. of hand shower streams:    | 3                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | -                                                                                                                                     |
| Water flow [l/min]:            | 9                                                                                                                                     |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | -                                                                                                                                     |
| Net weight:                    | 0.996 kg                                                                                                                              |
| Control element:               | -                                                                                                                                     |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843515 | 841-365-31 |



| PRODUCT DESCRIPTION            | MOZA PREMIUM SLIDING SHOWER SET                                                                                                       |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                            |
| Assembly:                      | -                                                                                                                                     |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | stainless steel, brass/chrome                                                                                                         |
| Hose material/colour:          | PVC/chrome                                                                                                                            |
| Shower head diameter:          | -                                                                                                                                     |
| Bar length/hose length:        | 700 mm/1500 mm                                                                                                                        |
| No. of hand shower streams:    | 1                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | -                                                                                                                                     |
| Water flow [l/min]:            | 22                                                                                                                                    |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | -                                                                                                                                     |
| Net weight:                    | 1.036 kg                                                                                                                              |
| Control element:               | -                                                                                                                                     |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843522 | 841-363-00 |



| PRODUCT DESCRIPTION            | MOZA BLACK PREMIUM POINT-FIXED SHOWER SET                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                            |
| Assembly:                      | -                                                                                                                                     |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | stainless steel/black                                                                                                                 |
| Hose material/colour:          | PVC/black                                                                                                                             |
| Shower head diameter:          | -                                                                                                                                     |
| Bar length/hose length:        | ~/1500 mm                                                                                                                             |
| No. of hand shower streams:    | 1                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | -                                                                                                                                     |
| Water flow [l/min]:            | 22                                                                                                                                    |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | -                                                                                                                                     |
| Net weight:                    | 0.495 kg                                                                                                                              |
| Control element:               | -                                                                                                                                     |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843577 | 841-225-81 |




| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD PREMIUM POINT-FIXED SHOWER SET                                                                                      |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                            |
| Assembly:                      | -                                                                                                                                     |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | stainless steel/brushed gold                                                                                                          |
| Hose material/colour:          | PVC/brushed gold                                                                                                                      |
| Shower head diameter:          | -                                                                                                                                     |
| Bar length/hose length:        | ~/1500 mm                                                                                                                             |
| No. of hand shower streams:    | 1                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | -                                                                                                                                     |
| Water flow [l/min]:            | 22                                                                                                                                    |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | -                                                                                                                                     |
| Net weight:                    | 0.495 kg                                                                                                                              |
| Control element:               | -                                                                                                                                     |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843584 | 841-225-31 |



| PRODUCT DESCRIPTION            | MOZA HAND SHOWER                                                                                                           |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                 |
| Assembly:                      | -                                                                                                                          |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Shower material/colour:        | ABS/chrome                                                                                                                 |
| Hose material/colour:          | -                                                                                                                          |
| Shower head diameter:          | -                                                                                                                          |
| Bar length/hose length:        | ~/-                                                                                                                        |
| No. of hand shower streams:    | 3                                                                                                                          |
| Cleaning system:               | Easy Clean                                                                                                                 |
| Working pressure [atm]:        | -                                                                                                                          |
| Water flow [l/min]:            | 9                                                                                                                          |
| Type:                          | -                                                                                                                          |
| Distance between connectors:   | -                                                                                                                          |
| Net weight:                    | 0.495 kg                                                                                                                   |
| Control element:               | -                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                          |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843263 | 842-065-00 |



| PRODUCT DESCRIPTION            | MOZA BLACK HAND SHOWER                                                                                                     |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                 |
| Assembly:                      | -                                                                                                                          |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Shower material/colour:        | ABS/black                                                                                                                  |
| Hose material/colour:          | -                                                                                                                          |
| Shower head diameter:          | -                                                                                                                          |
| Bar length/hose length:        | -/-                                                                                                                        |
| No. of hand shower streams:    | 3                                                                                                                          |
| Cleaning system:               | Easy Clean                                                                                                                 |
| Working pressure [atm]:        | -                                                                                                                          |
| Water flow [l/min]:            | 9                                                                                                                          |
| Type:                          | -                                                                                                                          |
| Distance between connectors:   | -                                                                                                                          |
| Net weight:                    | 0.495 kg                                                                                                                   |
| Control element:               | -                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                          |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843270 | 842-065-81 |



| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD HAND SHOWER                                                                                              |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                 |
| Assembly:                      | -                                                                                                                          |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Shower material/colour:        | ABS/brushed gold                                                                                                           |
| Hose material/colour:          | -                                                                                                                          |
| Shower head diameter:          | -                                                                                                                          |
| Bar length/hose length:        | -/-                                                                                                                        |
| No. of hand shower streams:    | 3                                                                                                                          |
| Cleaning system:               | Easy Clean                                                                                                                 |
| Working pressure [atm]:        | -                                                                                                                          |
| Water flow [l/min]:            | 9                                                                                                                          |
| Type:                          | -                                                                                                                          |
| Distance between connectors:   | -                                                                                                                          |
| Net weight:                    | 0.495 kg                                                                                                                   |
| Control element:               | -                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                          |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843508 | 842-065-31 |



| PRODUCT DESCRIPTION            | MOZA PREMIUM HAND SHOWER                                                                                                   |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 22.23.12.0                                                                                                                 |
| Assembly:                      | -                                                                                                                          |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Shower material/colour:        | brass/chrome                                                                                                               |
| Hose material/colour:          | -                                                                                                                          |
| Shower head diameter:          | -                                                                                                                          |
| Bar length/hose length:        | -/-                                                                                                                        |
| No. of hand shower streams:    | 1                                                                                                                          |
| Cleaning system:               | Easy Clean                                                                                                                 |
| Working pressure [atm]:        | -                                                                                                                          |
| Water flow [l/min]:            | 22                                                                                                                         |
| Type:                          | wall-mounted                                                                                                               |
| Distance between connectors:   | -                                                                                                                          |
| Net weight:                    | 0.170 kg                                                                                                                   |
| Control element:               | -                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                          |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571843850 | 842-064-00 |


**PRODUCT DESCRIPTION**

| MOZA BLACK PREMIUM HAND SHOWER |                                                                                                                            |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 22.23.12.0                                                                                                                 |
| Assembly:                      | -                                                                                                                          |
| Quantity in unit packaging:    | 1                                                                                                                          |
| Shower material/colour:        | brass/black                                                                                                                |
| Hose material/colour:          | -                                                                                                                          |
| Shower head diameter:          | -                                                                                                                          |
| Bar length/hose length:        | -/-                                                                                                                        |
| No. of hand shower streams:    | 1                                                                                                                          |
| Cleaning system:               | Easy Clean                                                                                                                 |
| Working pressure [atm]:        | -                                                                                                                          |
| Water flow [l/min]:            | 22                                                                                                                         |
| Type:                          | wall-mounted                                                                                                               |
| Distance between connectors:   | -                                                                                                                          |
| Net weight:                    | 0.170 kg                                                                                                                   |
| Control element:               | -                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                          |
| Acoustic group:                | II                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571843874

**INDEX**

842-064-81


**PRODUCT DESCRIPTION**


| MOZA BRUSHED GOLD PREMIUM HAND SHOWER |                                                                                                                            |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                                | 22.23.12.0                                                                                                                 |
| Assembly:                             | -                                                                                                                          |
| Quantity in unit packaging:           | 1                                                                                                                          |
| Shower material/colour:               | brass/brushed gold                                                                                                         |
| Hose material/colour:                 | -                                                                                                                          |
| Shower head diameter:                 | -                                                                                                                          |
| Bar length/hose length:               | -/-                                                                                                                        |
| No. of hand shower streams:           | 1                                                                                                                          |
| Cleaning system:                      | Easy Clean                                                                                                                 |
| Working pressure [atm]:               | -                                                                                                                          |
| Water flow [l/min]:                   | 22                                                                                                                         |
| Type:                                 | wall-mounted                                                                                                               |
| Distance between connectors:          | -                                                                                                                          |
| Net weight:                           | 0.170 kg                                                                                                                   |
| Control element:                      | -                                                                                                                          |
| Anti-siphon valve:                    | -                                                                                                                          |
| Acoustic group:                       | II                                                                                                                         |
| Certificates and declarations:        | The product is made according to the standard PN-EN 1112, it has National Declaration of Performance, Hygienic Attestation |

**EAN**

5907571843867


**INDEX**

842-064-31



| PRODUCT DESCRIPTION            | TANZANIT STANDING WASHBASIN MIXER + CLICK-CLACK DRAIN                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | single hole                                                                                                               |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 12                                                                                                                        |
| Type:                          | standing                                                                                                                  |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.220 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 121 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500517 | 5022-815-00 |




| PRODUCT DESCRIPTION            | TANZANIT STANDING COUNTERTOP WASHBASIN MIXER + CLICK-CLACK DRAIN                                                          |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | single hole                                                                                                               |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | rotating                                                                                                                  |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 12                                                                                                                        |
| Type:                          | standing                                                                                                                  |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.630 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 185 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500548 | 5022-712-00 |



| PRODUCT DESCRIPTION            | TANZANIT CONCEALED RAINSHOWER SET                                                                                                               |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | wall-mounted                                                                                                                                    |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Shower head diameter:          | 230 mm                                                                                                                                          |
| Bar length/hose length:        | 355 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 3                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 8/shower head: 11                                                                                                                  |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 3.340 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500562 | 5029-501-00 |




| PRODUCT DESCRIPTION            | TANZANIT RAINSHOWER SET                                                                                                                         |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWJU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | two-hole                                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Shower head diameter:          | 230 mm                                                                                                                                          |
| Bar length/hose length:        | 940-1250 mm/1500 mm                                                                                                                             |
| No. of hand shower streams:    | 3                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 8/shower head: 13                                                                                                                  |
| Type:                          | wall-mounted                                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                                        |
| Net weight:                    | 3.820 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571500555 | 5026-910-00  |



# CONCEALED MIXERS

● products available while stocks last



## PRODUCT DESCRIPTION


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | hand shower: 15/shower head: 12                                                                                           |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.470 kg                                                                                                                  |
| Control element:               | Ø40 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | -                                                                                                                         |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

## EAN

5907571471596

## INDEX

4729-410-00



## PRODUCT DESCRIPTION


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome-white                                                                                                        |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | hand shower: 15/shower head: 12                                                                                           |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.470 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | -                                                                                                                         |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

## EAN

5907571471602

## INDEX

4729-410-40



| PRODUCT DESCRIPTION            | MOKAIT BLACK CONCEALED WASHBASIN MIXER                                                                                    |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiu:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/black                                                                                                               |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 6                                                                                                                         |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | 100 mm                                                                                                                    |
| Net weight:                    | 2.026 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 200 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571552424 | 5539-810-81 |



| PRODUCT DESCRIPTION            | MOZA CONCEALED SHOWER SET                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiu:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Shower head diameter:          | 300 mm                                                                                                                                          |
| Bar length/hose length:        | 380 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 14.5/shower head: 19                                                                                                               |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 4.760 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500739 | 5039-501-00 |



| PRODUCT DESCRIPTION            | MOZA BLACK CONCEALED SHOWER SET                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiu:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                               |
| Hose material/colour:          | PVC/black                                                                                                                                       |
| Shower head diameter:          | 300 mm                                                                                                                                          |
| Bar length/hose length:        | 380 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 14.5/shower head: 19                                                                                                               |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 4.760 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500746 | 5039-501-81 |

## CONCEALED MIXERS



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/brushed gold                                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                                |
| Shower head diameter:          | 300 mm                                                                                                                                          |
| Bar length/hose length:        | 380 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 14.5/shower head: 19                                                                                                               |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 4.760 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571500753

### INDEX

5039-501-31



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Spout length/hose length:      | 179 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/spout: 18                                                                                                                       |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 3.670 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571505147

### INDEX

5039-401-00



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/black                                                                                                               |
| Hose material/colour:          | PVC/black                                                                                                                                       |
| Spout length/hose length:      | 179 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/spout: 18                                                                                                                       |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 3.670 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571505154

### INDEX

5039-401-81




| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD CONCEALED BATH SET                                                                                                            |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWIU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | concealed with an assembly box                                                                                                                  |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass, stainless steel, ABS/brushed gold                                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                                |
| Spout length/hose length:      | 179 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/spout: 18                                                                                                                       |
| Type:                          | concealed                                                                                                                                       |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 3.670 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571505147 | 5039-401-31 |




| PRODUCT DESCRIPTION            | MOZA CONCEALED BATH SPOUT                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWIU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | stainless steel/chrome                                                                                                    |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.464 kg                                                                                                                  |
| Control element:               | -                                                                                                                         |
| Spout (L/no. of streams):      | 179 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571831833 | 836-004-00 |





| PRODUCT DESCRIPTION            | MOZA BLACK CONCEALED BATH SPOUT                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWIU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | stainless steel/black                                                                                                     |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.464 kg                                                                                                                  |
| Control element:               | -                                                                                                                         |
| Spout (L/no. of streams):      | 179 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571831840 | 836-004-81 |





| PRODUCT DESCRIPTION            | MOZA BRUSHED GOLD CONCEALED BATH SPOUT                                                                                    |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.20.0                                                                                                                |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | stainless steel/brushed gold                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 15.5                                                                                                                      |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 0.464 kg                                                                                                                  |
| Control element:               | -                                                                                                                         |
| Spout (L/no. of streams):      | 179 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX      |
|---------------|------------|
| 5907571831857 | 836-004-31 |





| PRODUCT DESCRIPTION            | MOZA CONCEALED WASHBASIN MIXER                                                                                            |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/chrome                                                                                                              |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 6                                                                                                                         |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.455 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 173 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500616 | 5039-810-00 |



| PRODUCT DESCRIPTION            | MOZA BLACK CONCEALED WASHBASIN MIXER                                                                                      |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/black                                                                                                               |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 6                                                                                                                         |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.455 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 173 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571500623 | 5039-810-81 |



### PRODUCT DESCRIPTION


|                                |                                                                                                                           |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                         |
| Assembly:                      | concealed                                                                                                                 |
| Quantity in unit packaging:    | 1                                                                                                                         |
| Material/colour:               | brass/brushed gold                                                                                                        |
| Spout:                         | fixed                                                                                                                     |
| Working pressure [atm]:        | 3                                                                                                                         |
| Water flow [l/min]:            | 6                                                                                                                         |
| Type:                          | wall-mounted                                                                                                              |
| Distance between connectors:   | -                                                                                                                         |
| Net weight:                    | 1.467 kg                                                                                                                  |
| Control element:               | Ø35 ceramic cartridge                                                                                                     |
| Spout (L/no. of streams):      | 173 mm/1                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                         |
| Acoustic group:                | II                                                                                                                        |
| Certificates and declarations: | The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571500784

### INDEX

5039-810-31



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                                               |
| Assembly:                      | concealed                                                                                                                                       |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Material/colour:               | brass/chrome                                                                                                                                    |
| Spout:                         | fixed                                                                                                                                           |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | 8                                                                                                                                               |
| Type:                          | wall-mounted                                                                                                                                    |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 1.280 kg                                                                                                                                        |
| Control element:               | Ø25 ceramic cartridge                                                                                                                           |
| Spout (L/no. of streams):      | -/1                                                                                                                                             |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571500630

### INDEX

5039-512-00



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.01.01                                                                                                                              |
| Assembly:                      | concealed                                                                                                                                      |
| Quantity in unit packaging:    | 1                                                                                                                                              |
| Material/colour:               | brass/black                                                                                                                                    |
| Spout:                         | fixed                                                                                                                                          |
| Working pressure [atm]:        | 3                                                                                                                                              |
| Water flow [l/min]:            | 8                                                                                                                                              |
| Type:                          | wall-mounted                                                                                                                                   |
| Distance between connectors:   | -                                                                                                                                              |
| Net weight:                    | 1.280 kg                                                                                                                                       |
| Control element:               | Ø25 ceramic cartridge                                                                                                                          |
| Spout (L/no. of streams):      | -/1                                                                                                                                            |
| Anti-siphon valve:             | -                                                                                                                                              |
| Acoustic group:                | II                                                                                                                                             |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 111/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN


5907571500647

### INDEX


5039-512-81



| EAN           | INDEX       |
|---------------|-------------|
| 5907571505130 | 5039-512-31 |



| EAN           | INDEX       |
|---------------|-------------|
| 5907571552615 | 5559-501-00 |




|               |              |
|---------------|--------------|
| <b>EAN</b>    | <b>INDEX</b> |
| 5907571552622 | 5559-501-81  |



# RAINSHOWER SETS

• products available while stocks last



## PRODUCT DESCRIPTION


| PRODUCT DESCRIPTION            | MOZA RAINSHOWER SET WITH A SHOWER MIXER                                                                                                               |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKW/U:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                                            |
| Shower head diameter:          | 225 mm                                                                                                                                                |
| Bar length/hose length:        | 930-1370 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 8.5/shower head: 11.7                                                                                                                    |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 3.700 kg                                                                                                                                              |
| Control element:               | Ø35 ceramic cartridge                                                                                                                                 |
| Diverter:                      | ceramic                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

## EAN

5907571500838

## INDEX

5036-910-00



## PRODUCT DESCRIPTION


| PRODUCT DESCRIPTION            | MOZA BLACK RAINSHOWER SET WITH A SHOWER MIXER                                                                                                         |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKW/U:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head diameter:          | 225 mm                                                                                                                                                |
| Bar length/hose length:        | 930-1370 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 8.5/shower head: 11.7                                                                                                                    |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 3.700 kg                                                                                                                                              |
| Control element:               | Ø35 ceramic cartridge                                                                                                                                 |
| Diverter:                      | ceramic                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

## EAN

5907571500845


## INDEX

5036-910-81




| PRODUCT DESCRIPTION            | MOZA RAINSHOWER SET WITH A THERMOSTATIC SHOWER MIXER                                                                                                  |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                                            |
| Shower head diameter:          | 225 mm                                                                                                                                                |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 9/shower head: 15                                                                                                                        |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 4.880 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571570206 | 5736-910-00 |



| PRODUCT DESCRIPTION            | MOZA BLACK RAINSHOWER SET WITH A THERMOSTATIC SHOWER MIXER                                                                                            |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head diameter:          | 225 mm                                                                                                                                                |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 9/shower head: 15                                                                                                                        |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 4.750 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |


| EAN           | INDEX       |
|---------------|-------------|
| 5907571570213 | 5736-910-81 |



| PRODUCT DESCRIPTION            | MOZA PREMIUM RAINSHOWER SET                                                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                      |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                             |
| No. of hand shower streams:    | 3                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 16                                                                                                 |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 5.780 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571570305 | 5736-920-00 |

## RAINSHOWER SETS



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head diameter:          | 300 mm                                                                                                                                                |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 15/shower head: 16                                                                                                                       |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 5.780 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570312

### INDEX

5736-920-81



### PRODUCT DESCRIPTION


|                                |                                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/brushed gold                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                             |
| No. of hand shower streams:    | 3                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 16.5                                                                                               |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 5.780 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570343

### INDEX

5736-920-31



### PRODUCT DESCRIPTION


|                                |                                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                      |
| Shower head diameter:          | 225 mm                                                                                                                          |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                               |
| No. of hand shower streams:    | 3                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                               |
| Water flow [l/min]:            | hand shower: 9/shower head: 15                                                                                                  |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 5.060 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570350

### INDEX

5736-911-00




**MOZA BLACK BATH RAINSHOWER SET WITH A THERMOSTATIC SHOWER MIXER**

|                                       |                                                                                                                                 |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>PKWiU:</b>                         | 28.14.12-33.04.01                                                                                                               |
| <b>Assembly:</b>                      | two-hole                                                                                                                        |
| <b>Quantity in unit packaging:</b>    | 1                                                                                                                               |
| <b>Shower material/colour:</b>        | brass, stainless steel, ABS/black                                                                                               |
| <b>Hose material/colour:</b>          | PVC/black                                                                                                                       |
| <b>Shower head diameter:</b>          | 225 mm                                                                                                                          |
| <b>Bar length/hose length:</b>        | 1150-1550/1500 mm                                                                                                               |
| <b>No. of hand shower streams:</b>    | 3                                                                                                                               |
| <b>Cleaning system:</b>               | Easy Clean                                                                                                                      |
| <b>Working pressure [atm]:</b>        | 3                                                                                                                               |
| <b>Water flow [l/min]:</b>            | hand shower: 9/shower head: 15                                                                                                  |
| <b>Type:</b>                          | wall-mounted                                                                                                                    |
| <b>Distance between connectors:</b>   | 150 ± 15                                                                                                                        |
| <b>Net weight:</b>                    | 5.060 kg                                                                                                                        |
| <b>Control element:</b>               | SEDAL thermostatic cartridge                                                                                                    |
| <b>Anti-siphon valve:</b>             | -                                                                                                                               |
| <b>Acoustic group:</b>                | II                                                                                                                              |
| <b>Certificates and declarations:</b> | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance. Hrvjenic Attestation |

## INDEX

5907571570367

5736-911-81




**MOZA PREMIUM BATH  
RAINSHOWER SET WITH  
A THERMOSTATIC SHOWER MIXER**

| SEDAL HOSE                     | SEDAL THERMOSTATIC SHOWER MIXER                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                      |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                               |
| No. of hand shower streams:    | 1                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 1                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 20                                                                                                 |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 6.380 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance. Hviejnic Attestation |

INDEX

5907571570374

5736-921-00



MOZA BLACK PREMIUM BATH  
RAINSHOWER SET WITH  
A THERMOSTATIC SHOWER MIXER


| Technical data                 | PN-EN 1111-2 shower mixer                                                                                                       |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                               |
| Hose material/colour:          | PVC/black                                                                                                                       |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                               |
| No. of hand shower streams:    | 1                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 1                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 20                                                                                                 |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 6.380 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance. Hviejien Attestation |

## INDEX

5907571570381

5736-921-81

## RAINSHOWER SETS



### PRODUCT DESCRIPTION


|                                |                                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/brushed gold                                                                                        |
| Hose material/colour:          | PVC/brushed gold                                                                                                                |
| Shower head diameter:          | 300 mm                                                                                                                          |
| Bar length/hose length:        | 1150-1550/1500 mm                                                                                                               |
| No. of hand shower streams:    | 1                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 1                                                                                                                               |
| Water flow [l/min]:            | hand shower: 15/shower head: 20                                                                                                 |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 6.380 kg                                                                                                                        |
| Control element:               | SEDAL thermostatic cartridge                                                                                                    |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570398

### INDEX

5736-921-31



### PRODUCT DESCRIPTION


|                                |                                                                                                                                       |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                            |
| Shower head diameter:          | 225 mm                                                                                                                                |
| Bar length/hose length:        | 870-1230 mm/1500 mm                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 10/shower head: 9                                                                                                        |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                              |
| Net weight:                    | 3.780 kg                                                                                                                              |
| Control element:               | Ø35 ceramic cartridge                                                                                                                 |
| Diverter:                      | ceramic                                                                                                                               |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has Hygienic Attestation, Declaration of Conformity |

### EAN

5907571552639

### INDEX

5556-910-00



### PRODUCT DESCRIPTION


|                                |                                                                                                                                       |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                             |
| Shower head diameter:          | 225 mm                                                                                                                                |
| Bar length/hose length:        | 870-1230 mm/1500 mm                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 10/shower head: 9                                                                                                        |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                              |
| Net weight:                    | 3.780 kg                                                                                                                              |
| Control element:               | Ø35 ceramic cartridge                                                                                                                 |
| Diverter:                      | ceramic                                                                                                                               |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has Hygienic Attestation, Declaration of Conformity |

### EAN

5907571552646


### INDEX

5556-910-81




| PRODUCT DESCRIPTION            | MORRIS RAINSHOWER SET WITH A SHOWER MIXER                                                                                                  |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                          |
| Assembly:                      | two-hole                                                                                                                                   |
| Quantity in unit packaging:    | 1                                                                                                                                          |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                         |
| Hose material/colour:          | PVC/chrome                                                                                                                                 |
| Shower head diameter:          | 230 mm                                                                                                                                     |
| Bar length/hose length:        | 925-1225/1500 mm                                                                                                                           |
| No. of hand shower streams:    | 3                                                                                                                                          |
| Cleaning system:               | Easy Clean                                                                                                                                 |
| Working pressure [atm]:        | 3                                                                                                                                          |
| Water flow [l/min]:            | hand shower: 7.5/shower head: 11                                                                                                           |
| Type:                          | wall-mounted                                                                                                                               |
| Distance between connectors:   | 150 ± 15                                                                                                                                   |
| Net weight:                    | 3.780 kg                                                                                                                                   |
| Control element:               | Ø35 ceramic cartridge                                                                                                                      |
| Anti-siphon valve:             | -                                                                                                                                          |
| Acoustic group:                | II                                                                                                                                         |
| Certificates and declarations: | The product is made according to the standard PN-EN 817:2002/PN-EN 1112/PN-EN 1113, it has Hygienic Attestation, Declaration of Conformity |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571520560 | 5246-910-00 |



| PRODUCT DESCRIPTION            | LOGON RAINSHOWER SET WITH A SHOWER MIXER AND A FOLDING BATH SPOUT                                                                               |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | two-hole                                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Shower head dimension:         | 190x260 mm                                                                                                                                      |
| Bar length/hose length:        | 1150-1550 mm/1500 mm                                                                                                                            |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | spout: 14/shower head: 8/hand shower: 10                                                                                                        |
| Type:                          | wall-mounted                                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                                        |
| Net weight:                    | 5.190 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |


| EAN           | INDEX       |
|---------------|-------------|
| 5907571512367 | 5136-915-00 |



| PRODUCT DESCRIPTION            | LOGON BLACK RAINSHOWER SET WITH A SHOWER MIXER AND A FOLDING BATH SPOUT                                                                         |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | two-hole                                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                               |
| Hose material/colour:          | PVC/black                                                                                                                                       |
| Shower head dimension:         | 190x260 mm                                                                                                                                      |
| Bar length/hose length:        | 1150-1550 mm/1500 mm                                                                                                                            |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | spout: 14/shower head: 8/hand shower: 10                                                                                                        |
| Type:                          | wall-mounted                                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                                        |
| Net weight:                    | 5.190 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX       |
|---------------|-------------|
| 5907571512473 | 5136-915-81 |

## RAINSHOWER SETS



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                                            |
| Shower head dimension:         | 220x220 mm                                                                                                                                            |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 1                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 14/shower head: 17                                                                                                                       |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 5.186 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570244

### INDEX

5746-910-00



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head dimension:         | 220x220 mm                                                                                                                                            |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 1                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 14/shower head: 18                                                                                                                       |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 5.186 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570251

### INDEX

5746-910-81



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                                            |
| Shower head dimension:         | 250x250 mm                                                                                                                                            |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 1                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 15/shower head: 17.8                                                                                                                     |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 5.890 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570282

### INDEX

5746-920-00



### PRODUCT DESCRIPTION


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                                    |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head dimension:         | 250x250 mm                                                                                                                                            |
| Bar length/hose length:        | 850-1250 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 1                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 15/shower head: 17.8                                                                                                                     |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 5.890 kg                                                                                                                                              |
| Control element:               | SEDAL thermostatic cartridge                                                                                                                          |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571570299

### INDEX

5746-920-81



### PRODUCT DESCRIPTION


|                                |                                                                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                               |
| Assembly:                      | two-hole                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                      |
| Shower head diameter:          | 230 mm                                                                                                                          |
| Bar length/hose length:        | 935-1235 mm/1500 mm                                                                                                             |
| No. of hand shower streams:    | 3                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                               |
| Water flow [l/min]:            | hand shower: 8/shower head: 12                                                                                                  |
| Type:                          | wall-mounted                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                        |
| Net weight:                    | 3.850 kg                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                               |
| Acoustic group:                | II                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation |

### EAN

5907571460613

### INDEX

4626-910-00



### PRODUCT DESCRIPTION

|                                |                                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                               |
| Assembly:                      | two-hole                                                                                                                                        |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                              |
| Hose material/colour:          | PVC/chrome                                                                                                                                      |
| Shower head diameter:          | 230 mm                                                                                                                                          |
| Bar length/hose length:        | 940-1250 mm/1500 mm                                                                                                                             |
| No. of hand shower streams:    | 3                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | hand shower: 8/shower head: 13                                                                                                                  |
| Type:                          | wall-mounted                                                                                                                                    |
| Distance between connectors:   | 150 ± 15                                                                                                                                        |
| Net weight:                    | 3.820 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |


### EAN

5907571500555

### INDEX


5026-910-00

## RAINSHOWER SETS




| PRODUCT DESCRIPTION            | ARIANA RAINSHOWER SET WITH A CONCEALED SHOWER MIXER                                                                                             |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKW/U:                         | 28.14.12.0                                                                                                                                      |
| Assembly:                      | concealed                                                                                                                                       |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | metal/chrome                                                                                                                                    |
| Hose material/colour:          | brass/chrome                                                                                                                                    |
| Shower head diameter:          | 250 mm                                                                                                                                          |
| Bar length/hose length:        | 944 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | 9                                                                                                                                               |
| Type:                          | wall-mounted                                                                                                                                    |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 6.560 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX         |
|---------------|---------------|
| 5907571420389 | 4226-910-00 ● |




| PRODUCT DESCRIPTION            | CASSINI RAINSHOWER SET WITH A CONCEALED SHOWER MIXER                                                                                            |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| PKW/U:                         | 28.14.12.0                                                                                                                                      |
| Assembly:                      | concealed                                                                                                                                       |
| Quantity in unit packaging:    | 1                                                                                                                                               |
| Shower material/colour:        | metal/chrome                                                                                                                                    |
| Hose material/colour:          | brass/chrome                                                                                                                                    |
| Shower head dimension:         | 250x250 mm                                                                                                                                      |
| Bar length/hose length:        | 992 mm/1500 mm                                                                                                                                  |
| No. of hand shower streams:    | 1                                                                                                                                               |
| Cleaning system:               | Easy Clean                                                                                                                                      |
| Working pressure [atm]:        | 3                                                                                                                                               |
| Water flow [l/min]:            | 9                                                                                                                                               |
| Type:                          | wall-mounted                                                                                                                                    |
| Distance between connectors:   | -                                                                                                                                               |
| Net weight:                    | 7.040 kg                                                                                                                                        |
| Control element:               | Ø35 ceramic cartridge                                                                                                                           |
| Anti-siphon valve:             | -                                                                                                                                               |
| Acoustic group:                | II                                                                                                                                              |
| Certificates and declarations: | The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX         |
|---------------|---------------|
| 5907571416023 | 4126-910-00 ● |



| PRODUCT DESCRIPTION            | CASSINI RAINSHOWER SET TO BE COMBINED WITH ANY MIXER                                                                                  |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| PKW/U:                         | 28.14.12.0                                                                                                                            |
| Assembly:                      | -                                                                                                                                     |
| Quantity in unit packaging:    | 1                                                                                                                                     |
| Shower material/colour:        | metal/chrome                                                                                                                          |
| Hose material/colour:          | brass/chrome                                                                                                                          |
| Shower head dimension:         | 250x250 mm                                                                                                                            |
| Bar length/hose length:        | 1000 mm/1500 mm, 600 mm                                                                                                               |
| No. of hand shower streams:    | 1                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                     |
| Water flow [l/min]:            | depends on the mixer                                                                                                                  |
| Type:                          | wall-mounted                                                                                                                          |
| Distance between connectors:   | depends on the mixer                                                                                                                  |
| Net weight:                    | 6.030 kg                                                                                                                              |
| Control element:               | depends on the mixer                                                                                                                  |
| Anti-siphon valve:             | -                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

| EAN           | INDEX        |
|---------------|--------------|
| 5907571843157 | 841-195-00 ● |



#### PRODUCT DESCRIPTION


|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/chrome                                                                                                                    |
| Hose material/colour:          | PVC/chrome                                                                                                                                            |
| Shower head diameter:          | 230 mm                                                                                                                                                |
| Bar length/hose length:        | 930-1240 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 15.2/shower head: 12.7                                                                                                                   |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 4.400 kg                                                                                                                                              |
| Control element:               | thermostatic cartridge                                                                                                                                |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571570329

#### INDEX

5716-920-00



#### PRODUCT DESCRIPTION

|                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKWiU:                         | 28.14.12-33.04.01                                                                                                                                     |
| Assembly:                      | two-hole                                                                                                                                              |
| Quantity in unit packaging:    | 1                                                                                                                                                     |
| Shower material/colour:        | brass, stainless steel, ABS/black                                                                                                                     |
| Hose material/colour:          | PVC/black                                                                                                                                             |
| Shower head diameter:          | 230 mm                                                                                                                                                |
| Bar length/hose length:        | 930-1240 mm/1500 mm                                                                                                                                   |
| No. of hand shower streams:    | 3                                                                                                                                                     |
| Cleaning system:               | Easy Clean                                                                                                                                            |
| Working pressure [atm]:        | 3                                                                                                                                                     |
| Water flow [l/min]:            | hand shower: 15.2/shower head: 12.7                                                                                                                   |
| Type:                          | wall-mounted                                                                                                                                          |
| Distance between connectors:   | 150 ± 15                                                                                                                                              |
| Net weight:                    | 4.400 kg                                                                                                                                              |
| Control element:               | thermostatic cartridge                                                                                                                                |
| Anti-siphon valve:             | -                                                                                                                                                     |
| Acoustic group:                | II                                                                                                                                                    |
| Certificates and declarations: | The product is made according to the standard PN-EN 1111:2002/PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation |

#### EAN

5907571570336

#### INDEX

5716-920-81



# ECO-FRIENDLY SOLUTIONS

## RESPONSIBLE CONSUMPTION AND ECO-FRIENDLY ATTITUDE

We believe that responsible consumption is the best expression of our concern for the planet. By taking care of top quality of our products and providing long term warranties, we encourage consumers to use our mixers and radiators for many years. If our products are long-life, the production of new ones will not exert a negative impact on the environment. For this reason, we offer an extensive portfolio of spare parts in order to allow our customers to replace wear components in an easy way.

We are particularly concerned with water resources – due to the character of the industry in which we have been operating for one hundred years. Sanitary fittings have a significant impact on the amount of water consumed, especially in households.



## HOW MUCH WATER CAN WE REALLY SAVE?

Let's take a closer look at a family of four living in a flat (without a garden). To make the counting process easier, we can divide their water consumption into two categories. One is: washbasin + sink (25%) and the other is: bath/shower + toilet + washing machine, dishwasher (75%).

Standard kitchen and washbasin mixers use 12 l/min, while economical kitchen and washbasin mixers use 6 l/min. If the water consumption in such a household is about 16 m<sup>3</sup>/month and the use of economical mixers can help reduce it by 12.5%, it means that the amount of the water saved is 24,000 litres per year!

