

SANITARY FITTINGS
KITCHEN MIXERS





LEGEND OF ICONS USED IN THIS CATALOGUE:



product warranty periods



surfaces easy to keep clean



lower water consumption



eco-friendly character and money saving



manually controlled aerator (movable)



with a flexible spout



with a pull-out spout



touch water trigger function



cleaning agent with a hydrophobic effect



surface cleaning and protective agent



with a click-clack drain



with a lift rod



bath mixer



rainshower



kitchen mixer



washbasin mixer



bidet mixer



shower type



applications



KITCHEN MIXERS WITH A WATER FILTERING FUNCTION





PRODUCT DESCRIPTION	DUERO PURE STYLE INOX STANDING KITCHEN MIXER WITH A ROTATING, PULL-OUT SPOUT
PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/inox
Spout:	pull-out
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 6/filtered water: 2.5
Type:	standing
Distance between connectors:	-
Net weight:	3.850 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	120 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, PROFINE small filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666329	6623-313-22
2. Filter type: PROFINE silver small	5907571666350	6623-314-22
3. Filter type: PROFINE lilac small	5907571666381	6623-315-22



PRODUCT DESCRIPTION	DUERO PURE STYLE BLACK STANDING KITCHEN MIXER WITH A ROTATING, PULL-OUT SPOUT
PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/black
Spout:	pull-out
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 6/filtered water: 2.5
Type:	standing
Distance between connectors:	-
Net weight:	3.850 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	120 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, PROFINE small filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666336	6623-313-81
2. Filter type: PROFINE silver small	5907571666367	6623-314-81
3. Filter type: PROFINE lilac small	5907571666398	6623-315-81



PRODUCT DESCRIPTION	DUERO PURE STYLE BRUSHED GOLD STANDING KITCHEN MIXER WITH A ROTATING, PULL-OUT SPOUT
PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/brushed gold
Spout:	pull-out
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 6/filtered water: 2.5
Type:	standing
Distance between connectors:	-
Net weight:	3.850 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	120 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, PROFINE small filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666343	6623-313-31
2. Filter type: PROFINE silver small	5907571666374	6623-314-31
3. Filter type: PROFINE lilac small	5907571666404	6623-315-31

PRODUCT DESCRIPTION	DUERO PURE BASIC INOX STANDING KITCHEN MIXER WITH A ROTATING, PULL-OUT SPOUT
PKWJU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/inox
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 6/filtered water: 2.5
Type:	pull-out
Distance between connectors:	-
Net weight:	3.290 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	201 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity.

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666237	6623-113-22
2. Filter type: PROFINE silver small	5907571666268	6623-114-22
3. Filter type: PROFINE lilac small	5907571666299	6623-115-22
4. Filter type: Hvdro+	5907571666206	6623-112-22




PRODUCT DESCRIPTION	DUERO PURE BASIC BLACK STANDING KITCHEN MIXER WITH A ROTATING, PULL-OUT SPOUT
PKW/U:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/black
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 6/filtered water: 2.5
Type:	pull-out
Distance between connectors:	-
Net weight:	3.290 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	201 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666244	6623-113-81
2. Filter type: PROFINE silver small	5907571666275	6623-114-81
3. Filter type: PROFINE lilac small	5907571666305	6623-115-81
4. Filter type: Hydro+	5907571666213	6623-112-81



PRODUCT DESCRIPTION	DUERO PURE BASIC BRUSHED GOLD STANDING KITCHEN MIXER WITH A ROTATING, PULL-OUT SPOUT
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/brushed gold
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 6/filtered water: 2.5
Type:	pull-out
Distance between connectors:	-
Net weight:	3.290 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	201 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666251	6623-113-31
2. Filter type: PROFINE silver small	5907571666282	6623-114-31
3. Filter type: PROFINE lilac small	5907571666305	6623-115-31
4. Filter type: Hydro+	5907571666312	6623-112-31



PRODUCT DESCRIPTION	DUERO PURE BASIC INOX STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/inox
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 8/filtered water: 4
Type:	standing
Distance between connectors:	-
Net weight:	2.740 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	212 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666114	6623-913-22
2. Filter type: PROFINE silver small	5907571666145	6623-914-22
3. Filter type: PROFINE lilac small	5907571666176	6623-915-22
4. Filter type: Hydro+	5907571666084	6623-912-22



PRODUCT DESCRIPTION	DUERO PURE BASIC BLACK STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/black
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 8/filtered water: 4
Type:	standing
Distance between connectors:	-
Net weight:	2.740 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	212 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666121	6623-913-81
2. Filter type: PROFINE silver small	5907571666152	6623-914-81
3. Filter type: PROFINE lilac small	5907571666183	6623-915-81
4. Filter type: Hydro+	5907571666091	6623-912-81




PRODUCT DESCRIPTION	DUERO PURE BASIC BRUSHED GOLD STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel/brushed gold
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 8/filtered water: 4
Type:	standing
Distance between connectors:	-
Net weight:	2.740 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	212 mm/2
Anti-siphon valve:	-
Accessories included:	mounting set with a washer, filter starter kit
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817:2008, it has Hygienic Attestation, Declaration of Conformity

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571666138	6623-913-31
2. Filter type: PROFINE silver small	5907571666169	6623-914-31
3. Filter type: PROFINE lilac small	5907571666190	6623-915-31
4. Filter type: Hydro+	5907571666107	6623-912-31



KITCHEN MIXERS WITH A WATER FILTERING FUNCTION



PRODUCT DESCRIPTION	MUNGO STANDING KITCHEN MIXER WITH A WATER FILTERING FUNCTION
PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome + black
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	mixed water: 11/filtered water: 1.5
Type:	standing
Distance between connectors:	-
Net weight:	2.730 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	185 mm/2
Anti-siphon valve:	-
Accessories included:	filter, flexible hose (2 m)
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 1111:2002, it has National Declaration of Performance, Hygienic Attestation

PRODUCT	EAN	INDEX
1. Filter type: PROFINE blue small	5907571675079	6733-913-00
2. Filter type: PROFINE silver small	5907571675086	6733-914-00
3. Filter type: PROFINE lilac small	5907571675093	6733-915-00
4. Filter type: Hydro+	5907571675062	6733-910-00



PRODUCT DESCRIPTION	3/8"X3/8"X1/4" ANGULAR SHUT-OFF VALVE
PKWIU:	28.14.20.0
Quantity in unit packaging:	1
Working pressure [atm]:	3
Max pressure [atm]:	12
Internal thread:	3/8"
Quick disconnect:	1/4"
Weight:	0.400 kg
Working temperature:	from 1°C to 65°C


EAN	INDEX
5907571240239	242-100-10



PRODUCT DESCRIPTION	HYDRO+ FILTER
PKWIU:	28.14.20.0
Producer:	AquaCure Ltd
Type:	carbon with a water hardness inhibitor
Quantity in unit packaging:	1
Filtration level:	1 micron
Working pressure [atm]:	3
Water flow [l/min]:	1.5-2
Max water temperature:	+23°C
Weight:	0.508 kg
Life span:	6 months

EAN	INDEX
5907571820806	824-510-86

KITCHEN MIXERS WITH A WATER FILTERING FUNCTION




PRODUCT DESCRIPTION	PROFINE BLUE FILTER
PKWiU:	28.14.20.0
Producer:	Profine
Type:	with a carbon block
Quantity in unit packaging:	1
Filtration level:	5 µm (micron)
Working pressure [atm]:	3
Water flow [l/min]:	small: 3/medium: 5
Max water temperature:	+30°C
Life span:	4.000 l or 6 months

PRODUCT	EAN	INDEX
1. FILTER PROFINE BLUE SMALL	5907571821742	824-512-86
2. FILTER PROFINE BLUE MEDIUM	5907571821759	824-513-86



1 2




PRODUCT DESCRIPTION	PROFINE SILVER FILTER
PKWiU:	28.14.20.0
Producer:	Profine
Type:	with a carbon block and silver ions
Quantity in unit packaging:	1
Filtration level:	5 µm (micron)
Working pressure [atm]:	3
Water flow [l/min]:	small: 3/medium: 5
Max water temperature:	+30°C
Life span:	4.000 l or 6 months

PRODUCT	EAN	INDEX
1. FILTER PROFINE SILVER SMALL	5907571821780	824-516-86
2. FILTER PROFINE SILVER MEDIUM	5907571821797	824-517-86



1 2



PRODUCT DESCRIPTION	PROFINE LILAC FILTER
PKWiU:	28.14.20.0
Producer:	Profine
Type:	with a carbon block, an ion exchange resin and silver ions
Quantity in unit packaging:	1
Filtration level:	0.5 µm (micron)
Working pressure [atm]:	3
Water flow [l/min]:	1.5
Max water temperature:	+30°C
Life span:	470 l or 6 months

PRODUCT	EAN	INDEX
1. FILTER PROFINE LILAC SMALL	5907571821766	824-514-86
2. FILTER PROFINE LILAC MEDIUM	5907571821773	824-515-86



PRODUCT DESCRIPTION	PROFINE BLUE SMALL FILTER STARTER KIT
PKWiU:	28.14.20.0
Producer:	Profine
Type:	with a carbon block
Quantity in unit packaging:	1
Filtration level:	5 µm (micron)
Working pressure [atm]:	3
Water flow [l/min]:	3
Max water temperature:	+30°C
Life span:	4.000 l or 6 months

EAN	INDEX
5907571850001	855-103-86



PRODUCT DESCRIPTION	PROFINE SILVER SMALL FILTER STARTER KIT
PKWiU:	28.14.20.0
Producer:	Profine
Type:	with a carbon block and silver ions
Quantity in unit packaging:	1
Filtration level:	5 µm (micron)
Working pressure [atm]:	3
Water flow [l/min]:	3
Max water temperature:	+30°C
Life span:	4.000 l or 6 months

EAN	INDEX
5907571850018	855-104-86




PRODUCT DESCRIPTION	PROFINE LILAC SMALL FILTER STARTER KIT
PKWiU:	28.14.20.0
Producer:	Profine
Type:	with a carbon block, an ion exchange resin and silver ions
Quantity in unit packaging:	1
Filtration level:	0.5 µm (micron)
Working pressure [atm]:	3
Water flow [l/min]:	1.5
Max water temperature:	+30°C
Life span:	470 l or 6 months

EAN	INDEX
5907571850025	855-105-86





KITCHEN MIXERS



PRODUCT DESCRIPTION


PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.370 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	209 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571650106

INDEX

6533-915-00



PRODUCT DESCRIPTION


PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/black
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.370 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	209 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571650151


INDEX

6533-915-81




PRODUCT DESCRIPTION	ANDRA INOX STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/inox
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.370 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	209 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571650168	6533-915-22




PRODUCT DESCRIPTION	ANGELIT STANDING KITCHEN MIXER, CHROME
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	12
Type:	standing
Distance between connectors:	-
Net weight:	1.660 kg
Control element:	Ø40 ceramic cartridge
Spout (L/no. of streams):	208 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571675024	6713-915-00



PRODUCT DESCRIPTION	ANGELIT STANDING KITCHEN MIXER, CHROME-WHITE
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome-white
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	12
Type:	standing
Distance between connectors:	-
Net weight:	1.660 kg
Control element:	Ø40 ceramic cartridge
Spout (L/no. of streams):	208 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571675031	6713-915-40



PRODUCT DESCRIPTION


PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating, flexible
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.950 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	~1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571650113

INDEX

6543-915-00



PRODUCT DESCRIPTION

PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel, ABS plastic/inox
Spout:	rotating, pull-out, 2-function
Working pressure [atm]:	3
Water flow [l/min]:	7
Type:	standing
Distance between connectors:	-
Net weight:	2.200 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	213 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation


EAN

5907571660198

INDEX

6623-110-22

DUERO INOX
dish soap dispenser also available
see more on page 197



PRODUCT DESCRIPTION

PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel, ABS plastic/black
Spout:	rotating, pull-out, 2-function
Working pressure [atm]:	3
Water flow [l/min]:	7
Type:	standing
Distance between connectors:	-
Net weight:	2.200 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	213 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation


EAN

5907571660204

INDEX


6623-110-81

DUERO BLACK
dish soap dispenser also available
see more on page 197




PRODUCT DESCRIPTION	DUERO DESIGN STANDING KITCHEN MIXER WITH A PULL-OUT SPOUT
PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel, ABS plastic/inox
Spout:	rotating, pull-out, 2-function
Working pressure [atm]:	3
Water flow [l/min]:	7
Type:	standing
Distance between connectors:	-
Net weight:	2.348 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	213 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance. Hygienic Attestation

EAN	INDEX
5907571660211	6623-220-22




PRODUCT DESCRIPTION	DUERO DESIGN BLACK STANDING KITCHEN MIXER WITH A PULL-OUT SPOUT
PKW/U:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel, ABS plastic/black
Spout:	rotating, pull-out, 2-function
Working pressure [atm]:	3
Water flow [l/min]:	7
Type:	standing
Distance between connectors:	-
Net weight:	2.348 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	213 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571660228	6623-220-81



PRODUCT DESCRIPTION	DUERO DESIGN BRUSHED GOLD STANDING KITCHEN MIXER WITH A PULL-OUT SPOUT
PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	stainless steel, ABS plastic/brushed gold
Spout:	rotating, pull-out, 2-function
Working pressure [atm]:	3
Water flow [l/min]:	7
Type:	standing
Distance between connectors:	-
Net weight:	2.348 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	213 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance. Hygienic Attestation

EAN	INDEX
5907571660235	6623-220-31

**PRODUCT DESCRIPTION**


PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating, pull-out
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.750 kg
Control element:	Ø40 ceramic cartridge
Spout (L/no. of streams):	201 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 1112/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571666060

INDEX

6613-110-00

**PRODUCT DESCRIPTION**


PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/black
Spout:	rotating, pull-out
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.750 kg
Control element:	Ø40 ceramic cartridge
Spout (L/no. of streams):	201 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571666077

INDEX

6613-110-81

**PRODUCT DESCRIPTION**


PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	9
Type:	standing
Distance between connectors:	-
Net weight:	1.880 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	180 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571405119


INDEX

4003-615-00




PRODUCT DESCRIPTION	KWARC STANDING KITCHEN MIXER
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	12
Type:	standing
Distance between connectors:	-
Net weight:	2.020 kg
Control element:	Ø40 ceramic cartridge
Spout (L/no. of streams):	190 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571420112	4203-915-00




PRODUCT DESCRIPTION	KWARC WALL-MOUNTED KITCHEN MIXER
PKWiU:	28.14.12.0
Assembly:	two-hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	12
Type:	wall-mounted
Distance between connectors:	150 ± 20 mm
Net weight:	2.180 kg
Control element:	Ø40 ceramic cartridge
Spout (L/no. of streams):	200 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571420181	4200-910-00




PRODUCT DESCRIPTION	LEONIT STANDING KITCHEN MIXER WITH A SIDE HANDLE
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	10
Type:	standing
Distance between connectors:	-
Net weight:	1.570 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	200 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571530392	5313-815-00




PRODUCT DESCRIPTION	LEONIT STANDING KITCHEN MIXER WITH A SIDE-OBLIQUE HANDLE
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	10
Type:	standing
Distance between connectors:	-
Net weight:	0.950 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	225 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571530408	5313-615-00



PRODUCT DESCRIPTION	MALACHIT STANDING KITCHEN MIXER
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	12
Type:	standing
Distance between connectors:	-
Net weight:	2.230 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	175 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance. Hygienic Attestation

EAN	INDEX
5907571445016	4403-915-00



PRODUCT DESCRIPTION	MEDICO NEW STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass, stainless steel/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	0.920 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	195 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has Hygienic Attestation, Declaration of Conformity.

EAN	INDEX
5907571471657	4733-985-00




EAN	INDEX
5907571471671	4730-980-00




EAN	INDEX
5907571590068	5910-910-00




EAN	INDEX
5907571590174	5913-615-00






PRODUCT DESCRIPTION	MOHIT STANDING KITCHEN MIXER WITH A SIDE HANDLE
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	10
Type:	standing
Distance between connectors:	-
Net weight:	1.050 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	200 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571590167	5913-815-00




PRODUCT DESCRIPTION	MORGANIT STANDING KITCHEN MIXER
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	10
Type:	standing
Distance between connectors:	-
Net weight:	1.500 kg
Control element:	Ø25 ceramic cartridge
Spout (L/no. of streams):	192 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571491181	4923-915-00




PRODUCT DESCRIPTION	MORRIS WALL-MOUNTED KITCHEN MIXER
PKWiU:	28.14.12-33.02.01
Assembly:	two-hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	13
Type:	wall-mounted
Distance between connectors:	150 ± 15 mm
Net weight:	1.168 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	200 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has Hygienic Attestation, Declaration of Conformity

EAN	INDEX
5907571520508	5240-910-00




PRODUCT DESCRIPTION	MORRIS STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKW/U:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	12.5
Type:	standing
Distance between connectors:	-
Net weight:	0.902 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	216 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817/PN-EN 1112/PN-EN 1113, it has Hygienic Attestation, Declaration of Conformity

EAN	INDEX
5907571520546	5243-915-00




PRODUCT DESCRIPTION	NEDA STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKW/U:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	13
Type:	standing
Distance between connectors:	-
Net weight:	1.672 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	171 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571584579	5823-915-00



PRODUCT DESCRIPTION	NEDA BLACK STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/black
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	13
Type:	standing
Distance between connectors:	-
Net weight:	1.672 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	171 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571584586	5823-915-81



PRODUCT DESCRIPTION


PKWIU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	12
Type:	standing
Distance between connectors:	-
Net weight:	1.280 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	205 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571650069

INDEX

6513-915-00



PRODUCT DESCRIPTION


PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome + black
Spout:	flexible
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.610 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	-/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571650120

INDEX

6553-915-00



PRODUCT DESCRIPTION


PKWIU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome + beige
Spout:	flexible
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.610 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	-/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN

5907571650137


INDEX

6553-915-51




PRODUCT DESCRIPTION	RUMBA STANDING KITCHEN MIXER WITH A GREY FLEXIBLE SPOUT
PKWiU:	28.14.12-33.02.01
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome + grey
Spout:	flexible
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	1.610 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	~1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571650144	6553-915-63




PRODUCT DESCRIPTION	SIGMA STANDING KITCHEN MIXER WITH A PULL-OUT SPOUT
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating, pull-out
Working pressure [atm]:	3
Water flow [l/min]:	10
Type:	standing
Distance between connectors:	-
Net weight:	1.280 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	225 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817/PN-EN 1113, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571666008	6603-110-00




PRODUCT DESCRIPTION	STANDARD WALL-MOUNTED KITCHEN MIXER
PKWiU:	28.14.12.0
Assembly:	two-hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	15
Type:	wall-mounted
Distance between connectors:	145 ± 20 mm
Net weight:	1.250 kg
Control element:	sliding cartridge
Spout (L/no. of streams):	160 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 200, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571300193	300-410-00




PRODUCT DESCRIPTION	STANDARD WALL-MOUNTED KITCHEN MIXER
PKWiU:	28.14.12.0
Assembly:	two-hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	15
Type:	wall-mounted
Distance between connectors:	145 ± 20 mm
Net weight:	1.490 kg
Control element:	sliding cartridge
Spout (L/no. of streams):	250 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 200, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571300070	300-610-00




PRODUCT DESCRIPTION	STANDARD STANDING KITCHEN MIXER
PKWiU:	28.14.12.0
Assembly:	two-hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	15
Type:	standing
Distance between connectors:	145 ± 20 mm
Net weight:	1.360 kg
Control element:	sliding cartridge
Spout (L/no. of streams):	200 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 200, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571300223	301-510-00



PRODUCT DESCRIPTION	TAURI STANDING KITCHEN MIXER WITH A TOUCH ME FUNCTION
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	6.5
Type:	standing
Distance between connectors:	-
Net weight:	3.800 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	200 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571675055	6723-915-00




PRODUCT DESCRIPTION	THETA II INOX STANDING KITCHEN MIXER WITH A FOLDING SPOUT
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/inox
Spout:	rotating, under-window folding
Working pressure [atm]:	3
Water flow [l/min]:	13
Type:	standing
Distance between connectors:	-
Net weight:	1.995 kg
Control element:	Ø35 ceramic cartridge
Spout (L/no. of streams):	203 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571680011	6823-915-22



PRODUCT DESCRIPTION	TOPAZ STANDING KITCHEN MIXER
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	11
Type:	standing
Distance between connectors:	-
Net weight:	2.140 kg
Control element:	Ø40 ceramic cartridge
Spout (L/no. of streams):	175 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation


EAN	INDEX
5907571406055	4013-915-00



PRODUCT DESCRIPTION	TOPAZ STANDING KITCHEN MIXER WITH A ROTATING SPOUT
PKWiU:	28.14.12.0
Assembly:	single hole
Quantity in unit packaging:	1
Material/colour:	brass/chrome
Spout:	rotating
Working pressure [atm]:	3
Water flow [l/min]:	12
Type:	standing
Distance between connectors:	-
Net weight:	2.140 kg
Control element:	Ø40 ceramic cartridge
Spout (L/no. of streams):	230 mm/1
Anti-siphon valve:	-
Acoustic group:	II
Certificates and declarations:	The product is made according to the standard PN-EN 817, it has National Declaration of Performance, Hygienic Attestation

EAN	INDEX
5907571406154	4013-715-00

DISH SOAP DISPENSERS



PRODUCT DESCRIPTION


PKWIU:	20.41.31
Quantity in unit packaging:	1
Material/colour:	stainless steel, ABS plastic/inox
Assembly:	single hole
Tank capacity:	320 ml
Net weight:	0.235 kg

EAN

5907571990295

INDEX

990-100-22



PRODUCT DESCRIPTION


PKWIU:	20.41.31
Quantity in unit packaging:	1
Material/colour:	stainless steel, ABS plastic/black
Assembly:	single hole
Tank capacity:	320 ml
Net weight:	0.235 kg

EAN

5907571990301

INDEX

990-100-81



PRODUCT DESCRIPTION

PKWIU:	20.41.31
Quantity in unit packaging:	1
Material/colour:	stainless steel, ABS plastic/brushed gold
Assembly:	single hole
Tank capacity:	320 ml
Net weight:	0.235 kg

EAN

5907571990318

INDEX

990-100-31

ECO-FRIENDLY SOLUTIONS

RESPONSIBLE CONSUMPTION AND ECO-FRIENDLY ATTITUDE

We believe that responsible consumption is the best expression of our concern for the planet. By taking care of top quality of our products and providing long term warranties, we encourage consumers to use our mixers and radiators for many years. If our products are long-life, the production of new ones will not exert a negative impact on the environment. For this reason, we offer an extensive portfolio of spare parts in order to allow our customers to replace wear components in an easy way.

We are particularly concerned with water resources – due to the character of the industry in which we have been operating for one hundred years. Sanitary fittings have a significant impact on the amount of water consumed, especially in households.



HOW MUCH WATER CAN WE REALLY SAVE?

Let's take a closer look at a family of four living in a flat (without a garden). To make the counting process easier, we can divide their water consumption into two categories. One is: washbasin + sink (25%) and the other is: bath/shower + toilet + washing machine, dishwasher (75%).

Standard kitchen and washbasin mixers use 12 l/min, while economical kitchen and washbasin mixers use 6 l/min. If the water consumption in such a household is about 16 m³/month and the use of economical mixers can help reduce it by 12.5%, it means that the amount of the water saved is 24,000 litres per year!

