

DOUBLE-WALL DRAWER SYSTEMS

MAGIC-STAR PLUS

MAGIC-STAR P

The Metal Straight-sided Slim Drawer

A Perfect Mix of Function and Elegance



- Linear slim drawer sides - a fashion look and elegant appearance
- Perfect connection between components makes a beautiful drawer



Quietness



Intelligence




Durability



Eco-Friendliness

MAGIC-STAR PLUS

HD11 Series Straight-sided Drawer System
(Low Drawer: M Height)




PRODUCT



DESCRIPTION


- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
 - up & down adjustment:±2mm
 - left & right adjustment:±1.2mm
 - tilt adjustment:+0.5mm,-2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
LT=NL+3

PLANNING



Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended

LOW DRAWER FOR WOOD DRAWER BACK

Kit Package			
Silk White(E29)! Grey Matt(E30)!			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD11270A17X	HD41270A17X	1
300mm	HD11300A17X	HD41300A17X	1
350mm	HD11350A17X	HD41350A17X	1
400mm	HD11400A17X	HD41400A17X	1
450mm	HD11450A17X	HD41450A17X	1
500mm	HD11500A17X	HD41500A17X	1
550mm	HD11550A17X	HD41550A17X	1
600mm	HD11600A17X	HD41600A17X	1


1 Slides (left/right) /Industrial Package			
Pre-zinc Steel(F02)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	5
300mm	HD10300H	HD40300H	5
350mm	HD10350H	HD40350H	5
400mm	HD10400H	HD40400H	5
450mm	HD10450H	HD40450H	5
500mm	HD10500H	HD40500H	5
550mm	HD10550H	HD40550H	5
600mm	HD10600H	HD40600H	5

2 Drawer Sides and Cover Caps (left/right) /Industrial Package		
Silk White(E29)! Grey Matt(E30)!		
NL	Item No.	Set/ctn
270mm	HD112707X	5
300mm	HD113007X	5
350mm	HD113507X	5
400mm	HD114007X	5
450mm	HD114507X	5
500mm	HD115007X	5
550mm	HD115507X	5
600mm	HD116007X	5

3 Front Fixing-brackets (left/right) / Industrial Package		
Pre-zinc Steel(F02)		
	Item No.	Set/ctn
Screw-on	HE11011X	120
Press-in	HE11016X	120


30 Rod for Push-open Synchronization / Industrial Package	
Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm、400mm、450mm、500mm、550mm、600mm	
Item No.	HT0FH02
Set/ctn	60

4 Fixing-brackets	
Zinc plated(B04)	
Item No.	HT10082
Pcs/ctn	400




Rod for push-open synchronization not included in the kit


Screw Positions of the Slides(mm)



Installation Dimensions(mm)




Drawer Front, Back and Bottom Dimensions(mm)



MAGIC-STAR PLUS

HD11 Series Straight-sided Drawer System
(Low Inner Drawer: M Height)




PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 2D adjustment:
 - up & down adjustment: ±2mm
 - tilt adjustment: +0.5mm, -2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+13


LOW INNER DRAWER FOR WOOD DRAWER BACK

Kit Package			
Silk White(E29)! Grey Matt(E30)!			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD11270Q17X	HD41270Q17X	1
300mm	HD11300Q17X	HD41300Q17X	1
350mm	HD11350Q17X	HD41350Q17X	1
400mm	HD11400Q17X	HD41400Q17X	1
450mm	HD11450Q17X	HD41450Q17X	1
500mm	HD11500Q17X	HD41500Q17X	1
550mm	HD11550Q17X	HD41550Q17X	1
600mm	HD11600Q17X	HD41600Q17X	1


1 Slides (left/right) /Industrial Package			
Pre-zinc Steel(F02)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	5
300mm	HD10300H	HD40300H	5
350mm	HD10350H	HD40350H	5
400mm	HD10400H	HD40400H	5
450mm	HD10450H	HD40450H	5
500mm	HD10500H	HD40500H	5
550mm	HD10550H	HD40550H	5
600mm	HD10600H	HD40600H	5

2 Drawer Sides and Cover Caps (left/right) /Industrial Package		
Silk White(E29)! Grey Matt(E30)!		
NL	Item No.	Set/ctn
270mm	HD112707X	5
300mm	HD113007X	5
350mm	HD113507X	5
400mm	HD114007X	5
450mm	HD114507X	5
500mm	HD115007X	5
550mm	HD115507X	5
600mm	HD116007X	5

3 Front Fixing-brackets (left/right) / Industrial Package	
White(H03)! Dark Grey(H11)	
Item No.	HD11012X
Set/ctn	60
5 Front Section / Industrial Package	
Size:1100mm.Cutting:Internal cabinet width LW-97	
Silk White(E29)! Grey Matt(E30)	
Item No.	HT10022
Pcs/ctn	20
30 Rod for Push-open Synchronization / Industrial Package	
Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm、400mm、450mm、500mm、550mm、600mm	
Item No.	HT0FH02
Set/ctn	60
4 Fixing-brackets	
Zinc plated(B04)	
Item No.	HT10082
Pcs/ctn	400








PLANNING




Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended



MAGIC-STAR PLUS

HD12 Series Straight-sided Drawer System
(Medium Drawer: K Height)




PRODUCT




DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
 - up & down adjustment:±2mm
 - left & right adjustment:±1.2mm
 - tilt adjustment:+0.5mm,-2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



PLANNING



Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended

MEDIUM DRAWER FOR WOOD DRAWER BACK

Kit Package			
Silk White(E29)! Grey Matt(E30)!			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD12270A17X	HD42270A17X	1
300mm	HD12300A17X	HD42300A17X	1
350mm	HD12350A17X	HD42350A17X	1
400mm	HD12400A17X	HD42400A17X	1
450mm	HD12450A17X	HD42450A17X	1
500mm	HD12500A17X	HD42500A17X	1
550mm	HD12550A17X	HD42550A17X	1
600mm	HD12600A17X	HD42600A17X	1


1 Slides (left/right) /Industrial Package			
Pre-zinc Steel(F02)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	5
300mm	HD10300H	HD40300H	5
350mm	HD10350H	HD40350H	5
400mm	HD10400H	HD40400H	5
450mm	HD10450H	HD40450H	5
500mm	HD10500H	HD40500H	5
550mm	HD10550H	HD40550H	5
600mm	HD10600H	HD40600H	5

2 Drawer Sides and Cover Caps (left/right) /Industrial Package		
Silk White(E29)! Grey Matt(E30)!		
NL	Item No.	Set/ctn
270mm	HD122707X	5
300mm	HD123007X	5
350mm	HD123507X	5
400mm	HD124007X	5
450mm	HD124507X	5
500mm	HD125007X	5
550mm	HD125507X	5
600mm	HD126007X	5


3 Front Fixing-brackets (left/right) / Industrial Package		
Pre-zinc Steel(F02)		
	Item No.	Set/ctn
Screw-on	HE12011X	60
Press-in	HE12016X	60

30 Rod for Push-open Synchronization / Industrial Package	
Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm、400mm、450mm、500mm、550mm、600mm	
Item No.	HT0FH02
Set/ctn	60


4 Fixing-brackets	
Zinc plated(B04)	
Item No.	HT10082
Pcs/ctn	400




Screw Positions of the Slides(mm)



Installation Dimensions(mm)




Drawer Front, Back and Bottom Dimensions(mm)



MAGIC-STAR PLUS

HD12 Series Straight-sided Drawer System
(Medium Inner Drawer: M Height)




PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 2D adjustment:
 - up & down adjustment: ±2mm
 - tilt adjustment: +0.5mm, -2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT





LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+13


LOW INNER DRAWER FOR WOOD DRAWER BACK

Kit Package				
Silk White(E29)! Grey Matt(E30)!				
NL	Soft Close item No.	Push-open item No.	Set/ctn	
270mm	HD12270Q17X	HD42270Q17X	1	
300mm	HD12300Q17X	HD42300Q17X	1	
350mm	HD12350Q17X	HD42350Q17X	1	
400mm	HD12400Q17X	HD42400Q17X	1	
450mm	HD12450Q17X	HD42450Q17X	1	
500mm	HD12500Q17X	HD42500Q17X	1	
550mm	HD12550Q17X	HD42550Q17X	1	
600mm	HD12600Q17X	HD42600Q17X	1	

1 Slides (left/right) /Industrial Package				
Pre-zinc Steel(F02)				
NL	Soft Close item No.	Push-open item No.	Set/ctn	
270mm	HD10270H	HD40270H	5	
300mm	HD10300H	HD40300H	5	
350mm	HD10350H	HD40350H	5	
400mm	HD10400H	HD40400H	5	
450mm	HD10450H	HD40450H	5	
500mm	HD10500H	HD40500H	5	
550mm	HD10550H	HD40550H	5	
600mm	HD10600H	HD40600H	5	


2 Drawer Sides and Cover Caps (left/right) /Industrial Package				
Silk White(E29)! Grey Matt(E30)!				
NL	Item No.	Set/ctn		
270mm	HD122707X	5		
300mm	HD123007X	5		
350mm	HD123507X	5		
400mm	HD124007X	5		
450mm	HD124507X	5		
500mm	HD125007X	5		
550mm	HD125507X	5		
600mm	HD126007X	5		

3		Front Fixing-brackets (left/right) / Industrial Package White(H03)! Dark Grey(H11)	Item No. Set/ctn	HD12012X 60
5		Front Section / Industrial Package Size:1100mm.Cutting:Internal cabinet width LW-97	Silk White(E29)! Grey Matt(E30) Item No. Pcs/ctn	HT10022 20
30		Rod for Push-open Synchronization / Industrial Package Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm、 400mm、 450mm、 500mm、 550mm、 600mm	Item No. Set/ctn	HT0FH02 60
4		Fixing-brackets Zinc plated(B04)	Item No. Pcs/ctn	HT10082 400







Front section and rod for push-open synchronization not included in the kit

PLANNING




Cabinet Configuration		
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod	
300	○	○ recommended
350	○	
400	○	
450	○	
500	○	
600	○	● strongly recommended
800	●	
900	●	
1000	●	
1200	●	



MAGIC-STAR PLUS

HD13 Series Straight-sided Drawer System
(High Drawer: C Height)




PRODUCT




DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
 - up & down adjustment:±2mm
 - left & right adjustment:±1.2mm
 - tilt adjustment:+0.5mm,-2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



PLANNING



Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended

HIGH DRAWER FOR WOOD DRAWER BACK

Kit Package			
Silk White(E29)! Grey Matt(E30)!			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD13270A17N	HD43270A17N	1
300mm	HD13300A17N	HD43300A17N	1
350mm	HD13350A17N	HD43350A17N	1
400mm	HD13400A17N	HD43400A17N	1
450mm	HD13450A17N	HD43450A17N	1
500mm	HD13500A17N	HD43500A17N	1
550mm	HD13550A17N	HD43550A17N	1
600mm	HD13600A17N	HD43600A17N	1





1 Slides (left/right) /Industrial Package			
Pre-zinc Steel(F02)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	5
300mm	HD10300H	HD40300H	5
350mm	HD10350H	HD40350H	5
400mm	HD10400H	HD40400H	5
450mm	HD10450H	HD40450H	5
500mm	HD10500H	HD40500H	5
550mm	HD10550H	HD40550H	5
600mm	HD10600H	HD40600H	5

2 Drawer Sides and Cover Caps (left/right) /Industrial Package		
Silk White(E29)! Grey Matt(E30)!		
NL	Item No.	Set/ctn
270mm	HD132707N	5
300mm	HD133007N	5
350mm	HD133507N	5
400mm	HD134007N	5
450mm	HD134507N	5
500mm	HD135007N	5
550mm	HD135507N	5
600mm	HD136007N	5

3 Front Fixing-brackets (left/right) / Industrial Package		
Pre-zinc Steel(F02)		
	Item No.	Set/ctn
Screw-on	HE13011X	60
Press-in	HE13016X	60


30 Rod for Push-open Synchronization / Industrial Package		
Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm、400mm、450mm、500mm、550mm、600mm		
Item No.	HT0FH02	
Set/ctn	60	

4 Fixing-brackets		
Zinc plated(B04)		
Item No.	HT10082	
Pcs/ctn	400	



MAGIC-STAR PLUS

HD13 Series Straight-sided Drawer System
(High Inner Drawer: C Height)




PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 2D adjustment:
 - up & down adjustment: ±2mm
 - tilt adjustment: +0.5mm, -2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+13

HIGH INNER DRAWER WITH SQUARE CROSS RAIL FOR WOOD DRAWER BACK

Kit Package			
Silk White(E29)! Grey Matt(E30)!			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD13270Q17N	HD43270Q17N	1
300mm	HD13300Q17N	HD43300Q17N	1
350mm	HD13350Q17N	HD43350Q17N	1
400mm	HD13400Q17N	HD43400Q17N	1
450mm	HD13450Q17N	HD43450Q17N	1
500mm	HD13500Q17N	HD43500Q17N	1
550mm	HD13550Q17N	HD43550Q17N	1
600mm	HD13600Q17N	HD43600Q17N	1

1 Slides (left/right) /Industrial Package			
Pre-zinc Steel(F02)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	5
300mm	HD10300H	HD40300H	5
350mm	HD10350H	HD40350H	5
400mm	HD10400H	HD40400H	5
450mm	HD10450H	HD40450H	5
500mm	HD10500H	HD40500H	5
550mm	HD10550H	HD40550H	5
600mm	HD10600H	HD40600H	5

2 Drawer Sides and Cover Caps (left/right) /Industrial Package		
Silk White(E29)! Grey Matt(E30)!		
NL	Item No.	Set/ctn
270mm	HD132707N	5
300mm	HD133007N	5
350mm	HD133507N	5
400mm	HD134007N	5
450mm	HD134507N	5
500mm	HD135007N	5
550mm	HD135507N	5
600mm	HD136007N	5


3 Front Fixing-brackets (left/right) / Industrial Package	
White(H03)! Dark Grey(H11)	
Item No.	HD13014X
Set/ctn	20

7 Square Cross Rail / Industrial Package	
Silk White(E29)! Grey Matt(E30)	
Size:1100mm.Cutting:	Item No. HT10071
Internal cabinet width LW-72	Pcs/ctn 60

5 Front Section / Industrial Package	
Size:1100mm.Cutting:Internal cabinet width LW-97	
Silk White(E29)! Grey Matt(E30)	
Item No.	HT10022
Pcs/ctn	20


30 Rod for Push-open Synchronization / Industrial Package	
Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm、400mm、450mm、500mm、550mm、600mm	
Item No. HT0FH02	
Set/ctn	60

4 Fixing-brackets	
Zinc plated(B04)	
Item No.	HT10082
Pcs/ctn	400





Front section, cross rail and rod for push-open synchronization not included in the kit

PLANNING




Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended




Screw Positions of the Slides(mm)	
Cabinet edge	NL
270	270
300	300
350	350
400	400
450	450
500	500
550	550
600	600



MAGIC-STAR PLUS

HD14 Series Straight-sided Drawer System
(Super High Drawer: F Height)




PRODUCT




DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
 - up & down adjustment:±2mm
 - left & right adjustment:±1.5mm
 - tilt adjustment:+0.5mm,-2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



PLANNING



Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●
○ recommended	
● strongly recommended	

SUPER HIGH DRAWER FOR WOOD DRAWER BACK

Kit Package			
Silk White(E29)! Grey Matt(E30)!			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD14270A17N	HD44270A17N	1
300mm	HD14300A17N	HD44300A17N	1
350mm	HD14350A17N	HD44350A17N	1
400mm	HD14400A17N	HD44400A17N	1
450mm	HD14450A17N	HD44450A17N	1
500mm	HD14500A17N	HD44500A17N	1
550mm	HD14550A17N	HD44550A17N	1
600mm	HD14600A17N	HD44600A17N	1

1 Slides (left/right) /Industrial Package			
Pre-zinc Steel(F02)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	5
300mm	HD10300H	HD40300H	5
350mm	HD10350H	HD40350H	5
400mm	HD10400H	HD40400H	5
450mm	HD10450H	HD40450H	5
500mm	HD10500H	HD40500H	5
550mm	HD10550H	HD40550H	5
600mm	HD10600H	HD40600H	5


2 Drawer Sides and Cover Caps (left/right) /Industrial Package		
Silk White(E29)! Grey Matt(E30)!		
NL	Item No.	Set/ctn
270mm	HD142707N	5
300mm	HD143007N	5
350mm	HD143507N	5
400mm	HD144007N	5
450mm	HD144507N	5
500mm	HD145007N	5
550mm	HD145507N	5
600mm	HD146007N	5

3 Front Fixing-brackets (left/right) / Industrial Package		
Pre-zinc Steel(F02)		
	Item No.	Set/ctn
Screw-on	HE13011X	60
Press-in	HE13016X	60


5 Front Fixing-brackets (left/right) / Industrial Package		
Dark Grey (H11)		
	Item No.	Set/ctn
	HE14017	400

4 Fixing-brackets		
Zinc plated(B04)		
	Item No.	Set/ctn
	HT10082	400


30 Rod for Push-open Synchronization / Industrial Package		
Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm、400mm、450mm、500mm、550mm、600mm		
	Item No.	Set/ctn
	HT0FH02	60




Screw Positions of the Slides(mm)




Installation Dimensions(mm)



Drawer Front, Back and Bottom Dimensions(mm)




DTC
Global Quality Benchmark



PLANNING




- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 2D adjustment:
 - up & down adjustment: $\pm 2\text{mm}$
 - left & right adjustment: $\pm 1.5\text{mm}$
- Finish: Silk white(E29), Grey matt(E30)




LT=Internal Cabinet Depth
LT=NL+3

SUPER HIGH INNER DRAWER FOR WOOD DRAWER BACK




Kit Package

Silk White(E29)! Grey Matt(E30)!			
NL	 Soft Close Item No.	 Push-open Item No.	Set/ctn
270mm	HD14270Q17N	HD44270Q17N	1
300mm	HD14300Q17N	HD44300Q17N	1
350mm	HD14350Q17N	HD44350Q17N	1
400mm	HD14400Q17N	HD44400Q17N	1
450mm	HD14450Q17N	HD44450Q17N	1
500mm	HD14500Q17N	HD44500Q17N	1
550mm	HD14550Q17N	HD44550Q17N	1
600mm	HD14600Q17N	HD44600Q17N	1




Slides (left/right)
/Industrial Package

Pre-zinc Steel(F02)			
NL	 Soft Close item No.	 Push-open item No.	Set/crt
270mm	HD10270H	HD40270H	5
300mm	HD10300H	HD40300H	5
350mm	HD10350H	HD40350H	5
400mm	HD10400H	HD40400H	5
450mm	HD10450H	HD40450H	5
500mm	HD10500H	HD40500H	5
550mm	HD10550H	HD40550H	5
600mm	HD10600H	HD40600H	5




Drawer Sides and Cover
Caps (left/right)
/Industrial Package

Silk White(E29)! Grey Matt(E30)!		
NL	Item No.	Set/ctn
270mm	HD142707N	5
300mm	HD143007N	5
350mm	HD143507N	5
400mm	HD144007N	5
450mm	HD144507N	5
500mm	HD145007N	5
550mm	HD145507N	5
600mm	HD146007N	5




Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark Grey(H11)

Item No.	HD14014X
Set/ctn	20




Front Section / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-97

	Silk White(E29)! Grey Matt(E30)	
	Item No.	HT10022
	Pcs/ctn	20



Rod for Push-open Synchronization / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-172
for Nominal Side Length: 350mm、400mm、450mm、
500mm、550mm、600mm


Item No.	HT0FH02
Set/ctn	60




Front section, cross rail and rod for push-open synchronization not included in the kit

Installation Dimensions(mm)


NL=Nominal Slide Length	Soft close slides LT=NL+3
LT=Internal Cabinet Depth	Push-open slides LT=NL+13



Fixing Hole Position for Push-open Inner Drawer(mm)





Screw Positions of the Slides(mm)



Front Section, Back and Bottom Dimensions(mm)

Front section




Back
208mm

Bottom
NL-(13) mm

KB	Cabinet width
----	---------------

LW Internal cabinet width

NL	Nominal length
----	----------------



ASSEMBLY AND ADJUSTMENT

Assembly and Adjustment(for MAGIC-STAR PLUS)



Drawer Assembly

Back assembly

Bottom assembly


Fix screws

Front assembly

Click

Fixing-brackets assembly

Slide into the cabinet



Adjustments for Lower/Medium Drawer(M/K Height)

Left&right adjustment

Up&down adjustment

Tilt adjustment (by M3 Allen key)

Removal for Lower/Medium Drawer(M/K Height)

Tip up the cover and pull out

Turn screw driver to release the drawer front

Press the locking device under drawer bottom and pull out the drawer

Adjustments for High Drawer/Super High Drawer (C/F Height)

Left&right adjustment

Up&down adjustment

Tilt adjustment (by M3 Allen key)

Removal of High Drawer/Super High Drawer (C/F Height)

Tip up the cover and pull out

Turn screw driver to release the drawer front

Press the locking device under drawer bottom and pull out the drawer

METAL DRAWER BACKS

Metal Drawer Backs(For MAGIC-STAR PLUS)



ORDER INFORMATION



				Low Drawer: M Height							
				Silk White(E29)! Grey Matt(E30)!							
Cabinet width(mm)		Item No.		Pcs/ctn							
300		HE1103F300		20							
325		HE1103F325		20							
350		HE1103F350		20							
375		HE1103F375		20							
400		HE1103F400		20							
450		HE1103F450		20							
500		HE1103F500		20							
600		HE1103F600		20							
700		HE1103F700		20							
800		HE1103F800		20							
900		HE1103F900		20							
1000		HE1103F1000		20							
1200		HE1103F1200		20							

				High Drawer: C Height							
				Silk White(E29)! Grey Matt(E30)!							
Cabinet width(mm)		Item No.		Pcs/ctn							
300		HE1303F300		20							
325		HE1303F325		20							
350		HE1303F350		20							
375		HE1303F375		20							
400		HE1303F400		20							
450		HE1303F450		20							
500		HE1303F500		20							
600		HE1303F600		20							
700		HE1303F700		20							
800		HE1303F800		20							
900		HE1303F900		20							
1000		HE1303F1000		20							
1200		HE1303F1200		20							

				Medium Drawer: K Height							
				Silk White(E29)! Grey Matt(E30)!							
Cabinet width(mm)		Item No.		Pcs/ctn							
300		HE1203F300		20							
325		HE1203F325		20							
350		HE1203F350		20							
375		HE1203F375		20							
400		HE1203F400		20							
450		HE1203F450		20							
500		HE1203F500		20							
600		HE1203F600		20							
700		HE1203F700		20							
800		HE1203F800		20							
900		HE1203F900		20							
1000		HE1203F1000		20							
1200		HE1203F1200		20							

				Super High Drawer: F Height							
				Silk White(E29)! Grey Matt(E30)!							
Cabinet width(mm)		Item No.		Pcs/ctn							
300		HE1403F300		20							
325		HE1403F325		20							
350		HE1403F350		20							
375		HE1403F375		20							
400		HE1403F400		20							
450		HE1403F450		20							
500		HE1403F500		20							
600		HE1403F600		20							
700		HE1403F700		20							
800		HE1403F800		20							
900		HE1403F900		20							
1000		HE1403F1000		20							
1200		HE1403F1200		20							

Cutting Dimensions for 16mm Chipboard Bottom





DIVIDING ACCESSORIES

Dividing Accessories (for MAGIC-PRO, DRAGON-PRO, MAGIC-STAR PLUS)

ORDER INFORMATION

Applicable with Metal Drawer Side			
3		Divider/Industrial Package	
		White(H03)! Dark Grey(H11)	
		Item No.	HT10074
		Pcs/ctn	60
4		Square Cross Rail Connector/Industrial Package	
		White(H03)! Dark Grey(H11)	
		Item No.	HT10072
		Pcs/ctn	120
5		Square Cross Rail/Industrial Package	
		Silk White(E29)! Grey Matt(E30)	
		Item No.	HT10071
		Pcs/ctn	20
(Size:1100mm Cutting:Internal Cabinet width LW-72)Applicable with MAGIC-PRO, MAGIC-STAR			





Applicable with Glass-box Drawer Side			
3		Divider/Industrial Package White(H03)! Dark Grey(H11) Item No. Pcs/ctn	HT10074 60
6		Square Cross Rail Connector/Industrial Package White(H03)! Dark Grey(H11) Item No. Pcs/ctn	HT10073 120
5		Square Cross Rail/Industrial Package Silk White(E29)! Grey Matt(E30) Item No. Pcs/ctn	HT10071 20
(Size:1100mm Cutting:Internal Cabinet width LW-72)Applicable with MAGIC-PRO, MAGIC-STAR (Size:1100mm Cutting:Internal Cabinet width LW-74)Applicable with DRAGON-PRO			

