

ULTRA - SLIM
DRAWER SYSTEMS

PURE-PRO



PURE-PRO

Less is Definitely More
The Perfect Combination of
Modern Design and Luxurious
Styling.



- The ultra-slim 6mm drawer sides express a minimalist fashion sense.
- Drawer sides can be outfitted with glass or wood inserts to create an individual style.
- The smooth and stable running action produces motion with a comfortable feel.
- The straight inner walls enable maximum interior drawer space.



Quietness



Intelligence



Durability



Eco- Friendliness



PURE-PRO combines function with fashion.
The impressive linear design and effortless motion together satisfy
the end user's desires of feel and fashion.

DTC
Global Quality Benchmark

ULTRA-SLIM DRAWER SYSTEMS PURE-PRO



Comfort can be realized in the motion of a large, fully loaded drawer that is well organized and opens and closes smoothly and silently.

The 6mm ultra-slim drawer sides enable maximum interior drawer space. Beautiful and practical with transparent glass, PURE-PRO can be an integral design element in a personalized kitchen.




ULTRA-SLIM DRAWER SYSTEMS PURE-PRO



PURE-PRO

HQ11 Series Ultra-slim Drawer System
(Low Drawer)




PRODUCT




DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment: Up & down adjustment: ±2mm, left & right adjustment: ±1.5mm, tilt adjustment: +1.5,-2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



PLANNING



Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended

LOW DRAWER WITH GLASS-BOXSIDE FOR WOOD DRAWER BACK

Kit Package

Silk White(E29)! Grey Matt(E30)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HQ11270A12	HQ41270A12	1
300mm	HQ11300A12	HQ41300A12	1
350mm	HQ11350A12	HQ41350A12	1
400mm	HQ11400A12	HQ41400A12	1
450mm	HQ11450A12	HQ41450A12	1
500mm	HQ11500A12	HQ41500A12	1
550mm	HQ11550A12	HQ41550A12	1

1 Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	10
300mm	HD10300H	HD40300H	10
350mm	HD10350H	HD40350H	10
400mm	HD10400H	HD40400H	10
450mm	HD10450H	HD40450H	10
500mm	HD10500H	HD40500H	10
550mm	HD10550H	HD40550H	10

2 Drawer Sides /Industrial Package

Silk White(E29)! Grey Matt(E30)

NL	Item No.	Set/ctn
270mm	HQ112702	10
300mm	HQ113002	10
350mm	HQ113502	10
400mm	HQ114002	10
450mm	HQ114502	10
500mm	HQ115002	10
550mm	HQ115502	10

6mm Glass-Boxside / Industrial Package

Glass(G01)

NL	Item No.	Set/ctn
270mm	HK11062270	10
300mm	HK11062300	10
350mm	HK11062350	10
400mm	HK11062400	10
450mm	HK11062450	10
500mm	HK11062500	10
550mm	HK11062550	10

Rear Adapter(left/right) / Industrial Package

White(H03)! Dark Grey(H11)

Item No.	Set/ctn
HK11061	60

9 Fixing-brackets / Industrial Package

Zinc plated(B04)

Item No.	Set/ctn
HT10082	400

3 Cover Caps (L/R) /Industrial Package

White(H03)! Dark Grey(H11)

Item No.	Set/ctn
0HQ11JS01	200



30 Rod for Push-open Synchronization / Industrial Package

White(H03)! Dark Grey(H11)

Item No.	Set/ctn
HT0FH02	60

Size:1100mm. Cutting: Internal cabinet width LW-172

Cover caps and rod for push-open synchronization not included in the kit



Front Section, Back and Bottom Dimensions(mm)

Drawer front

Positioning pin

Back

64 mm

Bottom

Wood back NL-27 mm

Steel back NL-27 mm

KB Cabinet width

LW Internal cabinet width

NL Nominal length


Dimensions(mm)

Glass-boxside

chamfer 0.7mmx45°

PURE-PRO

HQ11 Series Ultra-slim Drawer System
(Low Inner Drawer)




PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT




LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+12


PLANNING

Installation Dimensions(mm)


NL=Nominal Slide Length Soft close slides LT=NL+3
LT=Internal Cabinet Depth Push-open slides LT=NL+12



Fixing Hole Position for Push-open Inner Drawer(mm)



Screw Positions of the Slides(mm)



Cabinet Configuration

Cabinet widths/KB(mm)	Push-open drawer Synchronization rod	
300	○	○ recommended ● strongly recommended
350	○	
400	○	
450	○	
500	○	
600	○	
800	●	
900	●	
1000	●	
1200	●	

6 Front Section / Industrial Package

Silk White(E29)! Grey Matt(E30)

Item No.

HK10021


Set/ctn

60

Size:1100mm.Cutting:Internal cabinet width LW-79


Installation Dimensions(mm)

LW=Internal Cabinet Width




Front Panel, Back and Bottom Dimensions(mm)


Front panel



Back




KB Cabinet width
LW Internal cabinet width
NL Nominal length




Dimensions(mm)

Glass-boxside




LOW INNER DRAWER WITH GLASS FRONT AND GLASS-BOXSIDE FOR WOOD DRAWER BACK



Silk White(E29)! Grey Matt(E30)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HQ11270Q14	HQ41270Q14	1
300mm	HQ11300Q14	HQ41300Q14	1
350mm	HQ11350Q14	HQ41350Q14	1
400mm	HQ11400Q14	HQ41400Q14	1
450mm	HQ11450Q14	HQ41450Q14	1
500mm	HQ11500Q14	HQ41500Q14	1
550mm	HQ11550Q14	HQ41550Q14	1




Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	10
300mm	HD10300H	HD40300H	10
350mm	HD10350H	HD40350H	10
400mm	HD10400H	HD40400H	10
450mm	HD10450H	HD40450H	10
500mm	HD10500H	HD40500H	10
550mm	HD10550H	HD40550H	10




Silk White(E29)! Grey Matt(E30)

NL	Item No.	Set/ctn
270mm	HQ112704	10
300mm	HQ113004	10
350mm	HQ113504	10
400mm	HQ114004	10
450mm	HQ114504	10
500mm	HQ115004	10
550mm	HQ115504	10



Glass(G01)

NL	Item No.	Set/ctn
270mm	HK11062270	10
300mm	HK11062300	10
350mm	HK11062350	10
400mm	HK11062400	10
450mm	HK11062450	10
500mm	HK11062500	10
550mm	HK11062550	10



Glass(G01)

Cabinet widths KB(mm)	Item No.	Set/ctn
300mm	HK11063300	10
350mm	HK11063350	10
400mm	HK11063400	10
450mm	HK11063450	10
500mm	HK11063500	10
600mm	HK11063600	10
800mm	HK11063800	10
900mm	HK11063900	10
1000mm	HK110631000	10
1200mm	HK110631200	10

Cabinet side thickness:
B=16mm. For different
cabinet side thickness
e.g 18mm or 19mm,
customised glass-front
is needed.



White(H03)! Dark Grey(H11)

Item No.

HK11061

Set/ctn

60




Zinc plated(B04)

Item No.

HT10082

Pcs/ctn

400




Item No.

HT0FH02

Set/ctn

60

Size:1100mm. Cutting:
Internal cabinet width LW-172



Front section,6mm glass-front panel and
rod for push-open synchronization not included in the kit

PURE-PRO

HQ13 Series Ultra-slim Drawer System
(High Drawer)




PRODUCT




DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment: Up & down adjustment: ±2mm, left & right adjustment: ±1.5mm, tilt adjustment: +1.5,-2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



PLANNING



Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●
○ recommended ● strongly recommended	

HIGH DRAWER WITH GLASS-BOXSIDE FOR WOOD DRAWER BACK

Kit Package

Silk White(E29)! Grey Matt(E30)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HQ13270A12	HQ43270A12	1
300mm	HQ13300A12	HQ43300A12	1
350mm	HQ13350A12	HQ43350A12	1
400mm	HQ13400A12	HQ43400A12	1
450mm	HQ13450A12	HQ43450A12	1
500mm	HQ13500A12	HQ43500A12	1
550mm	HQ13550A12	HQ43550A12	1

1 Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	10
300mm	HD10300H	HD40300H	10
350mm	HD10350H	HD40350H	10
400mm	HD10400H	HD40400H	10
450mm	HD10450H	HD40450H	10
500mm	HD10500H	HD40500H	10
550mm	HD10550H	HD40550H	10

2 Drawer Sides /Industrial Package

Silk White(E29)! Grey Matt(E30)

NL	Item No.	Set/ctn
270mm	HQ132702	10
300mm	HQ133002	10
350mm	HQ133502	10
400mm	HQ134002	10
450mm	HQ134502	10
500mm	HQ135002	10
550mm	HQ135502	10

6mm Glass-Boxside / Industrial Package

Glass(G01)

NL	Item No.	Set/ctn
270mm	HK13062270	10
300mm	HK13062300	10
350mm	HK13062350	10
400mm	HK13062400	10
450mm	HK13062450	10
500mm	HK13062500	10
550mm	HK13062550	10

Rear Adapter(left/right) / Industrial Package

White(H03)! Dark Grey(H11)

Item No. **HK13061**

Set/ctn 60

9 Fixing-brackets / Industrial Package

Zinc plated(B04)

Item No. **HT10082**

Pcs/ctn 400

3 Cover Caps (L/R) /Industrial Package

White(H03)! Dark Grey(H11)

Item No. **0HQ13JS01**

Set/ctn 200



30 Rod for Push-open Synchronization / Industrial Package

Item No. **HT0FH02**

Set/ctn 60

Size:1100mm. Cutting: Internal cabinet width LW-172

Cover caps and rod for push-open synchronization not included in the kit



Front Section, Back and Bottom Dimensions(mm)

Drawer front

Dimensions(mm)


Glass-boxside

chamfer 0.7mmx45°

KB Cabinet width
LW Internal cabinet width
NL Nominal length

PURE-PRO

HQ13 Series Ultra-slim Drawer System
(High Inner Drawer)




PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT




LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+12


PLANNING

Installation Dimensions(mm)


NL=Nominal Slide Length Soft close slides LT=NL+3
LT=Internal Cabinet Depth Push-open slides LT=NL+12



Fixing Hole Position for Push-open Inner Drawer(mm)




Screw Positions of the Slides(mm)



Cabinet widths/KB(mm)	Push-open drawer Synchronization rod	
300	○	○ recommended ● strongly recommended
350	○	
400	○	
450	○	
500	○	
600	○	
800	●	
900	●	
1000	●	
1200	●	

6	Front Section / Industrial Package
Silk White(E29)! Grey Matt(E30)	
Item No.	HK10021
Set/ctn	60
Size:1100mm.Cutting:Internal cabinet width LW-79	



HIGH INNER DRAWER WITH GLASS FRONT AND GLASS-BOXSIDE FOR WOOD DRAWER BACK

Kit Package			
Silk White(E29)! Grey Matt(E30)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HQ13270Q14	HQ43270Q14	1
300mm	HQ13300Q14	HQ43300Q14	1
350mm	HQ13350Q14	HQ43350Q14	1
400mm	HQ13400Q14	HQ43400Q14	1
450mm	HQ13450Q14	HQ43450Q14	1
500mm	HQ13500Q14	HQ43500Q14	1
550mm	HQ13550Q14	HQ43550Q14	1

1 Slides (left/right) /Industrial Package			
Pre-zinc Steel(F02)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	10
300mm	HD10300H	HD40300H	10
350mm	HD10350H	HD40350H	10
400mm	HD10400H	HD40400H	10
450mm	HD10450H	HD40450H	10
500mm	HD10500H	HD40500H	10
550mm	HD10550H	HD40550H	10

2 Drawer Sides /Industrial Package		
Silk White(E29)! Grey Matt(E30)		
NL	Item No.	Set/ctn
270mm	HQ132704	10
300mm	HQ133004	10
350mm	HQ133504	10
400mm	HQ134004	10
450mm	HQ134504	10
500mm	HQ135004	10
550mm	HQ135504	10

6mm Glass-Boxside / Industrial Package		
Glass(G01)		
NL	Item No.	Set/ctn
270mm	HK13062270	10
300mm	HK13062300	10
350mm	HK13062350	10
400mm	HK13062400	10
450mm	HK13062450	10
500mm	HK13062500	10
550mm	HK13062550	10


4 6mm Glass-Front Panel / Industrial Package		
Glass(G01)		
Cabinet widths KB(mm)	Item No.	Set/ctn
300mm	HK13063300	10
350mm	HK13063350	10
400mm	HK13063400	10
450mm	HK13063450	10
500mm	HK13063500	10
600mm	HK13063600	10
800mm	HK13063800	10
900mm	HK13063900	10
1000mm	HK130631000	10
1200mm	HK130631200	10

Cabinet side thickness: B=16mm. For different cabinet side thickness e.g 18mm or 19mm, customised glass-front is needed.


Rear Adapter (left/right) / Industrial Package	
White(H03)! Dark Grey(H11)	
Item No.	HK13061
Set/ctn	60

9 Fixing-brackets / Industrial Package	
Zinc plated(B04)	
Item No.	HT10082
Pcs/ctn	400

30 Rod for Push-open Synchronization / Industrial Package	
Item No.	
Set/ctn	60
Size:1100mm. Cutting: Internal cabinet width LW-172	



Front Panel, Back and Bottom Dimensions(mm)




ASSEMBLY AND ADJUSTMENT


Assembly and Adjustment for PURE-PRO(HQ Series)




Drawer Assembly




Back assembly




Bottom assembly





Align drawer sides and bottom, fix screws and fixing-brackets




Pre-drill holes on the drawer front





Install positioning pins





Insert the positioning pins into the key hole



Slide down the drawer front




Fix screws





Slide into the cabinet


Adjustment



Left & right adjustment




Up & down adjustment





Tilt adjustment(by M3 Allen key)

Removal of Drawer



Press the locking device under drawer bottom and pull out the drawer






ASSEMBLY AND ADJUSTMENT





Assembly and Adjustment for PURE-PRO(HQ Series)



Inner Drawer Assembly



Removal of Inner Drawer



PURE-PRO

HK11 Series Ultra-slim Drawer System
(Low Drawer)


PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment: Up & down adjustment: ±2mm, left & right adjustment: ±1.5mm, tilt adjustment: +1.5,-2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



LOW DRAWER FOR WOOD DRAWER BACK

Kit Package			
Silk White(E29)! Grey Matt(E30)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HK11270A11	HK41270A11	1
300mm	HK11300A11	HK41300A11	1
350mm	HK11350A11	HK41350A11	1
400mm	HK11400A11	HK41400A11	1
450mm	HK11450A11	HK41450A11	1
500mm	HK11500A11	HK41500A11	1
550mm	HK11550A11	HK41550A11	1


1 Slides (left/right) /Industrial Package			
Pre-zinc Steel(F02)			
NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	10
300mm	HD10300H	HD40300H	10
350mm	HD10350H	HD40350H	10
400mm	HD10400H	HD40400H	10
450mm	HD10450H	HD40450H	10
500mm	HD10500H	HD40500H	10
550mm	HD10550H	HD40550H	10

2 Drawer Sides /Industrial Package		
Silk White(E29)! Grey Matt(E30)		
NL	Item No.	Set/ctn
270mm	HK112701	10
300mm	HK113001	10
350mm	HK113501	10
400mm	HK114001	10
450mm	HK114501	10
500mm	HK115001	10
550mm	HK115501	10


3		Cover Caps (L/R) / Industrial Package	
		White(H03)! Dark Grey(H11)	
		Item No.	0HK11JS01
		Set/ctn	200

5		Fixing-brackets / Industrial Package	
		Zinc plated(B04)	
		Item No.	HT10082
		Pcs/ctn	400



30		Rod for Push-open Synchronization / Industrial Package	
		Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm,400mm,450mm,500mm, 550mm,600mm	
		Item No.	HT0FH02
		Set/ctn	60



PLANNING




Cabinet Configuration		
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod	
300	○	○ recommended ● strongly recommended
350	○	
400	○	
450	○	
500	○	
600	○	
800	●	
900	●	
1000	●	
1200	●	



Drawer Front, Back and Bottom Dimensions(mm)				
Drawer front		Back	KB Cabinet width	
		64 mm	LW Internal cabinet width	
		Bottom	NL Nominal length	
		Wood back		
		NL-27 mm		
		Steel back		
		NL-27 mm		

PURE-PRO

HK11 Series Ultra-slim Drawer System
(Low Inner Drawer)




PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT




LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+12


PLANNING

Installation Dimensions(mm)


NL=Nominal Slide Length
LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+12



Fixing Hole Position for Push-open Inner Drawer(mm)



Screw Positions of the Slides(mm)



Cabinet Configuration

Cabinet widths/KB(mm)	Push-open drawer Synchronization rod	
300	○	○ recommended ● strongly recommended
350	○	
400	○	
450	○	
500	○	
600	○	
800	●	
900	●	
1000	●	
1200	●	


LOW INNER DRAWER WITH GLASS FRONT FOR WOOD DRAWER BACK

Kit Package				1 Slides (left/right) /Industrial Package				2 Drawer Sides /Industrial Package			
Silk White(E29)! Grey Matt(E30)				Pre-zinc Steel(F02)				Silk White(E29)! Grey Matt(E30)			
NL	Soft Close item No.	Push-open item No.	Set/ctn	NL	Soft Close item No.	Push-open item No.	Set/ctn	NL	Item No.	Set/ctn	
270mm	HK11270Q13	HK41270Q13	1	270mm	HD10270H	HD40270H	10	270mm	HK112703	10	
300mm	HK11300Q13	HK41300Q13	1	300mm	HD10300H	HD40300H	10	300mm	HK113003	10	
350mm	HK11350Q13	HK41350Q13	1	350mm	HD10350H	HD40350H	10	350mm	HK113503	10	
400mm	HK11400Q13	HK41400Q13	1	400mm	HD10400H	HD40400H	10	400mm	HK114003	10	
450mm	HK11450Q13	HK41450Q13	1	450mm	HD10450H	HD40450H	10	450mm	HK114503	10	
500mm	HK11500Q13	HK41500Q13	1	500mm	HD10500H	HD40500H	10	500mm	HK115003	10	
550mm	HK11550Q13	HK41550Q13	1	550mm	HD10550H	HD40550H	10	550mm	HK115503	10	

4 6mm Glass-Front Panel / Industrial Package				9 Fixing-brackets / Industrial Package			
Glass(G01)				Zinc plated(B04)			
				Item No. HT10082			
				Pcs/ctn 400			

PURE-PRO

HK13 Series Ultra-slim Drawer System
(High Drawer)




PRODUCT



DESCRIPTION


- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment: Up & down adjustment: ±2mm, left & right adjustment: ±1.5mm, tilt adjustment: +1.5,-2.5mm
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
LT=NL+3

PLANNING



Cabinet Configuration	
Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended




HIGH DRAWER FOR WOOD DRAWER BACK

Kit Package				1 Slides (left/right) /Industrial Package				2 Drawer Sides /Industrial Package			
Silk White(E29)! Grey Matt(E30)				Pre-zinc Steel(F02)				Silk White(E29)! Grey Matt(E30)			
NL	Soft Close item No.	Push-open item No.	Set/ctn	NL	Soft Close item No.	Push-open item No.	Set/ctn	NL	Item No.	Set/ctn	
270mm	HK13270A11	HK43270A11	1	270mm	HD10270H	HD40270H	10	270mm	HK132701	10	
300mm	HK13300A11	HK43300A11	1	300mm	HD10300H	HD40300H	10	300mm	HK133001	10	
350mm	HK13350A11	HK43350A11	1	350mm	HD10350H	HD40350H	10	350mm	HK133501	10	
400mm	HK13400A11	HK43400A11	1	400mm	HD10400H	HD40400H	10	400mm	HK134001	10	
450mm	HK13450A11	HK43450A11	1	450mm	HD10450H	HD40450H	10	450mm	HK134501	10	
500mm	HK13500A11	HK43500A11	1	500mm	HD10500H	HD40500H	10	500mm	HK135001	10	
550mm	HK13550A11	HK43550A11	1	550mm	HD10550H	HD40550H	10	550mm	HK135501	10	

3 Cover Caps (L/R) / Industrial Package	
White(H03)! Dark Grey(H11)	
Item No.	0HK13JS01
Set/ctn	200

5 Fixing-brackets / Industrial Package	
Zinc plated(B04)	
Item No.	HT10082
Pcs/ctn	400

30 Rod for Push-open Synchronization / Industrial Package	
Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm,400mm,450mm,500mm, 550mm,600mm	
Item No.	HT0FH02
Set/ctn	60




Drawer Front, Back and Bottom Dimensions(mm)	
Drawer front	Back 137 mm
Bottom	Wood back NL-27 mm
	Steel back NL-27 mm

KB	Cabinet width
LW	Internal cabinet width
NL	Nominal length

PURE-PRO

HK13 Series Ultra-slim Drawer System
(High Inner Drawer)




PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- Finish: Silk white(E29), Grey matt(E30)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+12

HIGH INNER DRAWER WITH GLASS FRONT FOR WOOD DRAWER BACK

Kit Package

Silk White(E29)! Grey Matt(E30)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HK13270Q13	HK43270Q13	1
300mm	HK13300Q13	HK43300Q13	1
350mm	HK13350Q13	HK43350Q13	1
400mm	HK13400Q13	HK43400Q13	1
450mm	HK13450Q13	HK43450Q13	1
500mm	HK13500Q13	HK43500Q13	1
550mm	HK13550Q13	HK43550Q13	1

1 Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD40270H	10
300mm	HD10300H	HD40300H	10
350mm	HD10350H	HD40350H	10
400mm	HD10400H	HD40400H	10
450mm	HD10450H	HD40450H	10
500mm	HD10500H	HD40500H	10
550mm	HD10550H	HD40550H	10

2 Drawer Sides /Industrial Package

Silk White(E29)! Grey Matt(E30)

NL	Item No.	Set/ctn
270mm	HK132703	10
300mm	HK133003	10
350mm	HK133503	10
400mm	HK134003	10
450mm	HK134503	10
500mm	HK135003	10
550mm	HK135503	10

4 6mm Glass-Front Panel / Industrial Package

Glass(G01)

Cabinet widths KB(mm)	Item No.	Set/ctn
300mm	HK13063300	10
350mm	HK13063350	10
400mm	HK13063400	10
450mm	HK13063450	10
500mm	HK13063500	10
600mm	HK13063600	10
800mm	HK13063800	10
900mm	HK13063900	10
1000mm	HK130631000	10
1200mm	HK130631200	10

Cabinet side thickness: B=16mm. For different cabinet side thickness e.g 18mm or 19mm, customised glass-front is needed.

9 Fixing-brackets / Industrial Package

Zinc plated(B04)

Item No. **HT10082**

Pcs/ctn 400

6 Front Section / Industrial Package

Silk White(E29)! Grey Matt(E30)

Item No. **HK10021**

Set/ctn 20

Size:1100mm.Cutting:Internal cabinet width LW- 79

30 Rod for Push-open Synchronization / Industrial Package

Size:1100mm.Cutting:Internal cabinet width LW-172 for Nominal Side Length: 350mm,400mm,450mm,500mm, 550mm,600mm

Item No. **HT0FH02**

Set/ctn 60

Front section,glass front panel and rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length Soft close slides LT=NL+3
LT=Internal Cabinet Depth Push-open slides LT=NL+12

Cabinet Configuration

Cabinet widths/KB(mm)	Push-open drawer Synchronization rod	
300	○	○ recommended ● strongly recommended
350	○	
400	○	
450	○	
500	○	
600	○	
800	●	
900	●	
1000	●	
1200	●	

Fixing Hole Position for Push-open Inner Drawer(mm)

Screw Positions of the Slides(mm)

Installation Dimensions(mm)

LW=Internal Cabinet Width

Front Panel, Back and Bottom Dimensions(mm)

Front panel

Back	137 mm
Bottom	Wood back NL-27 mm Steel back NL-27 mm


KB Cabinet width
LW Internal cabinet width
NL Nominal length

ASSEMBLY AND ADJUSTMENT


Assembly and Adjustment for PURE-PRO(HK Series)




Drawer Assembly




Back assembly




Bottom assembly





Align drawer sides and bottom, fix screws and fixing-brackets




Pre-drill holes on the drawer front





Install positioning pins





Insert the positioning pins into the key hole



Slide down the drawer front




Fix screws





Slide into the cabinet


Adjustment



Left & right adjustment




Up & down adjustment








Tilt adjustment(by M3 Allen key)

Removal



Press the locking device under drawer bottom and pull out the drawer




ASSEMBLY AND ADJUSTMENT


Assembly and Adjustment for PURE-PRO(HQ Series)




Inner Drawer Assembly





Align drawer sides and bottom, fix screws





Back assembly








Install front section and front panel




Fixing the brackets














Slide into the cabinet



Removal of Inner Drawer



Press the locking device under drawer bottom and pull out the drawer





METAL DRAWER BACKS


Metal Drawer Backs (for PURE-PRO)




ORDER INFORMATION


	Low Drawer: M Height for HQ/HK Series			
	Slik white(E29), Grey matt(E30)			
	Cabinet width(mm)	Item No.	Pcs/ctn	
	300	HK11034300	20	
	325	HK11034325	20	
	350	HK11034350	20	
	375	HK11034375	20	
	400	HK11034400	20	
	450	HK11034450	20	
	500	HK11034500	20	
	600	HK11034600	20	
	700	HK11034700	20	
	800	HK11034800	20	
	900	HK11034900	20	
	1000	HK110341000	20	
	1200	HK110341200	20	

	Medium Drawer: K Height for HK Series			
	Slik white(E29), Grey matt(E30)			
	Cabinet width(mm)	Item No.	Pcs/ctn	
	300	HK12034300	20	
	325	HK12034325	20	
	350	HK12034350	20	
	375	HK12034375	20	
	400	HK12034400	20	
	450	HK12034450	20	
	500	HK12034500	20	
	600	HK12034600	20	
	700	HK12034700	20	
	800	HK12034800	20	
	900	HK12034900	20	
	1000	HK120341000	20	
	1200	HK120341200	20	


	High Drawer: C Height for HQ/HK Series			
	Slik white(E29), Grey matt(E30)			
	Cabinet width(mm)	Item No.	Pcs/ctn	
	300	HK13034300	20	
	325	HK13034325	20	
	350	HK13034350	20	
	375	HK13034375	20	
	400	HK13034400	20	
	450	HK13034450	20	
	500	HK13034500	20	
	600	HK13034600	20	
	700	HK13034700	20	
	800	HK13034800	20	
	900	HK13034900	20	
	1000	HK130341000	20	
	1200	HK130341200	20	



Cutting Dimensions for PURE PRO(HQ/HK) Series Chipboard Bottom



Chipboard Bottom



LW=Internal cabinet width
NL =Nominal length

Cabinet side thickness:B=16mm,For different cabinet side thickness e.g 18mm or 19mm,customised metal back is needed.

DTC is always innovating!
For more information, please visit our website www.dtcddtc.com