Guangdong Dongtai Hardware Precision Manufacturing Co.,Ltd
No. 2-2, Lianchong 2nd Road, Chonghe, Leliu, Shunde, Foshan, Guangdong, China
Tel: +86(0)757-25332283 Fax: 0757-25551876 Zip: 528322
Website: www.dtcdtc.com E-mail: dtc@dtcdtc.com

WWW.DTCDTC.COM

DTC-CA-2025-21-1-EN
January 2025



MAGIC-STAR ULTRA

PRODUCT CATALOG (HD Series)

WWW.DTCDTC.COM

DTC
Global Quality Benchmark

MAGIC-STAR ULTRA linear slim drawer sides - a fashion look and elegant appearance. Perfect connection between components makes a beautiful drawer.

DTC
Global Quality Benchmark

MAGIC-STAR ULTRA

HD11 Series Straight-sided Drawer System
(Low Drawer: M Height)



DTC
Global Quality Benchmark


PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
  Up & down adjustment:±2mm
  left & right adjustment:±1.2mm
  tilt adjustment:+0.5mm,-3.5mm
- Finish: Silk white(E29), Grey matt(E30)，
  Black matt(E36)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
LT=NL+3

LOW DRAWER FOR WOOD DRAWER BACK



Kit Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD112704A11	HD612704A11	1
300mm	HD113004A11	HD613004A11	1
350mm	HD113504A11	HD613504A11	1
400mm	HD114004A11	HD614004A11	1
450mm	HD114504A11	HD614504A11	1
500mm	HD115004A11	HD615004A11	1
550mm	HD115504A11	HD615504A11	1
600mm	HD116004A11	HD616004A11	1

1



Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD102704GX	5
300mm	HD10300H	HD103004GX	5
350mm	HD10350H	HD103504GX	5
400mm	HD10400H	HD104004GX	5
450mm	HD10450H	HD104504GX	5
500mm	HD10500H	HD105004GX	5
550mm	HD10550H	HD105504GX	5
600mm	HD10600H	HD106004GX	5

2



Drawer Sides and Cover Caps (left/right) /Industrial Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Item No.	Set/ctn
270mm	HD1127011	5
300mm	HD1130011	5
350mm	HD1135011	5
400mm	HD1140011	5
450mm	HD1145011	5
500mm	HD1150011	5
550mm	HD1155011	5
600mm	HD1160011	5

3



Front Fixing-brackets (left/right) / Industrial Package

Pre-zinc Steel(F02)

	Item No.	Set/ctn
Screw-on	HE11011X	120
Press-in	HE11016X	120


30



Rod for Push-open Synchronization
(For cutting to size,1100mm.
Cutting:Internal cabinet width LW-167)

Dark Grey(H11)

Item No.	GG0FH01
Pcs/ctn	120




Rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length
LT=Internal Cabinet Depth
LT=NL+3




Cabinet Configuration

Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●


○ recommended
● strongly recommended

Screw Positions of the Slides(mm)




Installation Dimensions(mm)


LW=Internal Cabinet Width



Drawer Front, Back and Bottom Dimensions(mm)

Drawer Front






Back
58 mm

Bottom
NL–(13) mm

KB Cabinet width
LW Internal cabinet width
NL Nominal length



MAGIC-STAR ULTRA

HD11 Series Straight-sided Drawer System
(Low Inner Drawer: M Height)



DTC
Global Quality Benchmark


PRODUCT



DESCRIPTION


- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 2D adjustment:
  Up & down adjustment:±2mm
  tilt adjustment:+0.5mm,-3.5mm
- Finish: Silk white(E29), Grey matt(E30)，
  Black matt(E36)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+13

LOW INNER DRAWER FOR WOOD DRAWER BACK



Kit Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD112704Q11	HD612704Q11	1
300mm	HD113004Q11	HD613004Q11	1
350mm	HD113504Q11	HD613504Q11	1
400mm	HD114004Q11	HD614004Q11	1
450mm	HD114504Q11	HD614504Q11	1
500mm	HD115004Q11	HD615004Q11	1
550mm	HD115504Q11	HD615504Q11	1
600mm	HD116004Q11	HD616004Q11	1

1



Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD102704GX	5
300mm	HD10300H	HD103004GX	5
350mm	HD10350H	HD103504GX	5
400mm	HD10400H	HD104004GX	5
450mm	HD10450H	HD104504GX	5
500mm	HD10500H	HD105004GX	5
550mm	HD10550H	HD105504GX	5
600mm	HD10600H	HD106004GX	5

2




Drawer Sides and Cover Caps (left/right) /Industrial Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!


NL	Item No.	Set/ctn
270mm	HD1127011	5
300mm	HD1130011	5
350mm	HD1135011	5
400mm	HD1140011	5
450mm	HD1145011	5
500mm	HD1150011	5
550mm	HD1155011	5
600mm	HD1160011	5

3



Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark grey(H11)!Black(H06)
Item No. HD11012X
Set/ctn 60

5




Front Section / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-97
Silk White(E29)! Grey Matt(E30)!Black matt(E36)!
Item No. HT10022
Set/ctn 20

30



Rod for Push-open Synchronization
(For cutting to size,1100mm.
Cutting:Internal cabinet width LW-167)
Dark Grey(H11)
Item No. GG0FH01
Pcs/ctn 120




Front section and rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length
LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+13




Cabinet Configuration


Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended

Fixing Hole Position for Push-open Inner Drawer(mm)



Screw Positions of the Slides(mm)




Installation Dimensions(mm)


LW=Internal Cabinet Width



Front Section, Back and Bottom Dimensions(mm)

Front section






Back
58 mm


Bottom
NL–(13) mm

KB Cabinet width
LW Internal cabinet width
NL Nominal length



MAGIC-STAR ULTRA

HD12 Series Straight-sided Drawer System (Medium Drawer: K Height)



DTC
Global Quality Benchmark


PRODUCT



DESCRIPTION


- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
  Up & down adjustment:±2mm
  left & right adjustment:±1.2mm
  tilt adjustment:+0.5mm,-3.5mm
- Finish: Silk white(E29), Grey matt(E30)，
  Black matt(E36)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
LT=NL+3

MEDIUM DRAWER FOR WOOD DRAWER BACK



Kit Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD122704A11	HD622704A11	1
300mm	HD123004A11	HD623004A11	1
350mm	HD123504A11	HD623504A11	1
400mm	HD124004A11	HD624004A11	1
450mm	HD124504A11	HD624504A11	1
500mm	HD125004A11	HD625004A11	1
550mm	HD125504A11	HD625504A11	1
600mm	HD126004A11	HD626004A11	1

1



Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD102704GX	5
300mm	HD10300H	HD103004GX	5
350mm	HD10350H	HD103504GX	5
400mm	HD10400H	HD104004GX	5
450mm	HD10450H	HD104504GX	5
500mm	HD10500H	HD105004GX	5
550mm	HD10550H	HD105504GX	5
600mm	HD10600H	HD106004GX	5

2



Drawer Sides and Cover Caps (left/right) /Industrial Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Item No.	Set/ctn
270mm	HD1227011	5
300mm	HD1230011	5
350mm	HD1235011	5
400mm	HD1240011	5
450mm	HD1245011	5
500mm	HD1250011	5
550mm	HD1255011	5
600mm	HD1260011	5

3



Front Fixing-brackets (left/right) / Industrial Package

Pre-zinc Steel(F02)

	Item No.	Set/ctn
Screw-on	HE12011X	60
Press-in	HE12016X	60


30



Rod for Push-open Synchronization
(For cutting to size,1100mm.
Cutting:Internal cabinet width LW-167)

Dark Grey(H11)

Item No.	GG0FH01
Pcs/ctn	120




Rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length
LT=Internal Cabinet Depth
LT=NL+3




Cabinet Configuration

Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●


○ recommended
● strongly recommended

Screw Positions of the Slides(mm)




Installation Dimensions(mm)


LW=Internal Cabinet Width



Drawer Front, Back and Bottom Dimensions(mm)

Drawer front






Back
96 mm


Bottom
NL-(13) mm

KB Cabinet width
LW Internal cabinet width
NL Nominal length



MAGIC-STAR ULTRA

HD12 Series Straight-sided Drawer System
(Medium Inner Drawer: K Height)



DTC
Global Quality Benchmark


PRODUCT



DESCRIPTION


- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 2D adjustment:
  Up & down adjustment:±2mm
  tilt adjustment:+0.5mm,-3.5mm
- Finish: Silk white(E29), Grey matt(E30)，
  Black matt(E36)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+13

LOW INNER DRAWER FOR WOOD DRAWER BACK



Kit Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD122704Q11	HD622704Q11	1
300mm	HD123004Q11	HD623004Q11	1
350mm	HD123504Q11	HD623504Q11	1
400mm	HD124004Q11	HD624004Q11	1
450mm	HD124504Q11	HD624504Q11	1
500mm	HD125004Q11	HD625004Q11	1
550mm	HD125504Q11	HD625504Q11	1
600mm	HD126004Q11	HD626004Q11	1

1




Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD102704GX	5
300mm	HD10300H	HD103004GX	5
350mm	HD10350H	HD103504GX	5
400mm	HD10400H	HD104004GX	5
450mm	HD10450H	HD104504GX	5
500mm	HD10500H	HD105004GX	5
550mm	HD10550H	HD105504GX	5
600mm	HD10600H	HD106004GX	5

2



Drawer Sides and Cover Caps (left/right) /Industrial Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Item No.	Set/ctn
270mm	HD1227011	5
300mm	HD1230011	5
350mm	HD1235011	5
400mm	HD1240011	5
450mm	HD1245011	5
500mm	HD1250011	5
550mm	HD1255011	5
600mm	HD1260011	5

3



Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark grey(H11)!Black(H06)
Item No. HD12012X
Set/ctn 60

5




Front Section / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-97
Silk White(E29)! Grey Matt(E30)!Black matt(E36)!
Item No. HT10022
Set/ctn 20

30



Rod for Push-open Synchronization
(For cutting to size,1100mm.
Cutting:Internal cabinet width LW-167)
Dark Grey(H11)
Item No. GG0FH01
Pcs/ctn 120




Front section and rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length
LT=Internal Cabinet Depth

Soft close slides LT=NL+3
Push-open slides LT=NL+13




Cabinet Configuration


Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended

Fixing Hole Position for Push-open Inner Drawer(mm)




Screw Positions of the Slides(mm)




Installation Dimensions(mm)


LW=Internal Cabinet Width



Front Section, Back and Bottom Dimensions(mm)

Front section






Back
96 mm


Bottom
NL–(13) mm

KB Cabinet width
LW Internal cabinet width
NL Nominal length



MAGIC-STAR ULTRA

HD13 Series Straight-sided Drawer System (High Drawer: C Height)



DTC
Global Quality Benchmark


PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
  Up & down adjustment:±2mm
  left & right adjustment:±1.2mm
  tilt adjustment:+0.5mm,-3.5mm
- Finish: Silk white(E29), Grey matt(E30)，
  Black matt(E36)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
LT=NL+3

HIGH DRAWER FOR WOOD DRAWER BACK



Kit Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD132704A11	HD632704A11	1
300mm	HD133004A11	HD633004A11	1
350mm	HD133504A11	HD633504A11	1
400mm	HD134004A11	HD634004A11	1
450mm	HD134504A11	HD634504A11	1
500mm	HD135004A11	HD635004A11	1
550mm	HD135504A11	HD635504A11	1
600mm	HD136004A11	HD636004A11	1

1




Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD102704GX	5
300mm	HD10300H	HD103004GX	5
350mm	HD10350H	HD103504GX	5
400mm	HD10400H	HD104004GX	5
450mm	HD10450H	HD104504GX	5
500mm	HD10500H	HD105004GX	5
550mm	HD10550H	HD105504GX	5
600mm	HD10600H	HD106004GX	5

2



Drawer Sides and Cover Caps (left/right) /Industrial Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Item No.	Set/ctn
270mm	HD1327011	5
300mm	HD1330011	5
350mm	HD1335011	5
400mm	HD1340011	5
450mm	HD1345011	5
500mm	HD1350011	5
550mm	HD1355011	5
600mm	HD1360011	5

3



Front Fixing-brackets (left/right) / Industrial Package

Pre-zinc Steel(F02)

	Item No.	Set/ctn
Screw-on	HE13011X	60
Press-in	HE13016X	60


30



Rod for Push-open Synchronization
(For cutting to size,1100mm.
Cutting:Internal cabinet width LW-167)

Dark Grey(H11)

Item No.	GG0FH01
Pcs/ctn	120




Rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length
LT=Internal Cabinet Depth
LT=NL+3




Cabinet Configuration

Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●


○ recommended
● strongly recommended

Screw Positions of the Slides(mm)




Installation Dimensions(mm)


LW=Internal Cabinet Width



Drawer Front, Back and Bottom Dimensions(mm)

Drawer front






Back
144mm


Bottom
NL–(13) mm

KB Cabinet width
LW Internal cabinet width
NL Nominal length



MAGIC-STAR ULTRA

HD13 Series Straight-sided Drawer System (High Inner Drawer: C Height)



DTC
Global Quality Benchmark


PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 2D adjustment:
  Up & down adjustment:±2mm
  tilt adjustment:+0.5mm,-3.5mm
- Finish: Silk white(E29), Grey matt(E30)，
  Black matt(E36)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+13

HIGH INNER DRAWER WITH SQUARE CROSS RAIL FOR WOOD DRAWER BACK



Kit Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD132704Q11	HD632704Q11	1
300mm	HD133004Q11	HD633004Q11	1
350mm	HD133504Q11	HD633504Q11	1
400mm	HD134004Q11	HD634004Q11	1
450mm	HD134504Q11	HD634504Q11	1
500mm	HD135004Q11	HD635004Q11	1
550mm	HD135504Q11	HD635504Q11	1
600mm	HD136004Q11	HD636004Q11	1

1




Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD102704GX	5
300mm	HD10300H	HD103004GX	5
350mm	HD10350H	HD103504GX	5
400mm	HD10400H	HD104004GX	5
450mm	HD10450H	HD104504GX	5
500mm	HD10500H	HD105004GX	5
550mm	HD10550H	HD105504GX	5
600mm	HD10600H	HD106004GX	5

2



Drawer Sides and Cover Caps (left/right) /Industrial Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Item No.	Set/ctn
270mm	HD1327011	5
300mm	HD1330011	5
350mm	HD1335011	5
400mm	HD1340011	5
450mm	HD1345011	5
500mm	HD1350011	5
550mm	HD1355011	5
600mm	HD1360011	5

3




Front Fixing-brackets (left/right) / Industrial Package

White(H03)! Dark grey(H11)!Black(H06)

Item No. HD13014X

Set/ctn 20

5



Front Section / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-97

Silk White(E29)! Grey Matt(E30)!Black matt(E36)!

Item No. HT10022

Set/ctn 20

30




Rod for Push-open Synchronization
(For cutting to size,1100mm.
Cutting:Internal cabinet width LW-167)

Dark Grey(H11)

Item No. GG0FH01

Pcs/ctn 120

7




Square Cross Rail / Industrial Package

Silk White(E29)! Grey Matt(E30)

Size:1100mm.Cutting: Internal cabinet width LW-72

Item No. HT10071

Set/ctn 60




Front section, cross rail and rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length
LT=Internal Cabinet Depth

Soft close slides LT=NL+3
Push-open slides LT=NL+13




Cabinet Configuration


Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended

Fixing Hole Position for Push-open Inner Drawer(mm)




Screw Positions of the Slides(mm)




Installation Dimensions(mm)


LW=Internal Cabinet Width



Front Section, Back and Bottom Dimensions(mm)

Front section






Back
144mm

Bottom
NL−(13) mm

KB Cabinet width
LW Internal cabinet width
NL Nominal length



MAGIC-STAR ULTRA

HD14 Series Straight-sided Drawer System
(Super High Drawer: F Height)



DTC
Global Quality Benchmark


PRODUCT



DESCRIPTION


- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 2D adjustment:
  Up & down adjustment:±2mm
  left & right adjustment:±1.5mm
  tilt adjustment:+0.5mm,-3.5mm
- Finish: Silk white(E29), Grey matt(E30)，
  Black matt(E36)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
LT=NL+3

SUPER HIGH DRAWER FOR WOOD DRAWER BACK



Kit Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD142704A11	HD642704A11	1
300mm	HD143004A11	HD643004A11	1
350mm	HD143504A11	HD643504A11	1
400mm	HD144004A11	HD644004A11	1
450mm	HD144504A11	HD644504A11	1
500mm	HD145004A11	HD645004A11	1
550mm	HD145504A11	HD645504A11	1
600mm	HD146004A11	HD646004A11	1

1




Slides (left/right)
/Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD102704GX	5
300mm	HD10300H	HD103004GX	5
350mm	HD10350H	HD103504GX	5
400mm	HD10400H	HD104004GX	5
450mm	HD10450H	HD104504GX	5
500mm	HD10500H	HD105004GX	5
550mm	HD10550H	HD105504GX	5
600mm	HD10600H	HD106004GX	5

2



Drawer Sides and Cover Caps (left/right)
/Industrial Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Item No.	Set/ctn
270mm	HD1427011	5
300mm	HD1430011	5
350mm	HD1435011	5
400mm	HD1440011	5
450mm	HD1445011	5
500mm	HD1450011	5
550mm	HD1455011	5
600mm	HD1460011	5

3



Front Fixing-brackets (left/right) / Industrial Package

Pre-zinc Steel(F02)

	Item No.	Set/ctn
Screw-on	HE13011X	60
Press-in	HE13016X	60

4




Front Fixing-brackets (left/right) / Industrial Package
Dark Grey(H11)
Item No. HE14017
Pcs/ctn 400

30



Rod for Push-open Synchronization
(For cutting to size,1100mm.
Cutting:Internal cabinet width LW-167)

Dark Grey(H11)
Item No. GG0FH01
Pcs/ctn 120




Rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length
LT=Internal Cabinet Depth
LT=NL+3




Cabinet Configuration

Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●


○ recommended
● strongly recommended

Screw Positions of the Slides(mm)





Installation Dimensions(mm)

LW=Internal Cabinet Width



Drawer Front, Back and Bottom Dimensions(mm)






Back
208mm

Bottom
NL–(13) mm

KB Cabinet width
LW Internal cabinet width
NL Nominal length



MAGIC-STAR ULTRA

HD14 Series Straight-sided Drawer System (Super High Inner Drawer: F Height)



DTC
Global Quality Benchmark


PRODUCT



DESCRIPTION

- Concealed, full extension
- Load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
  Up & down adjustment:±2mm
  left & right adjustment:±1.2mm
  tilt adjustment:+0.5mm,-3.5mm
- Finish: Silk white(E29), Grey matt(E30)，
  Black matt(E36)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
LT=NL+3

SUPER HIGH INNER DRAWER FOR WOOD DRAWER BACK



Kit Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD142704Q11	HD642704Q11	1
300mm	HD143004Q11	HD643004Q11	1
350mm	HD143504Q11	HD643504Q11	1
400mm	HD144004Q11	HD644004Q11	1
450mm	HD144504Q11	HD644504Q11	1
500mm	HD145004Q11	HD645004Q11	1
550mm	HD145504Q11	HD645504Q11	1
600mm	HD146004Q11	HD646004Q11	1

1



Slides (left/right) /Industrial Package

Pre-zinc Steel(F02)

NL	Soft Close item No.	Push-open item No.	Set/ctn
270mm	HD10270H	HD102704GX	5
300mm	HD10300H	HD103004GX	5
350mm	HD10350H	HD103504GX	5
400mm	HD10400H	HD104004GX	5
450mm	HD10450H	HD104504GX	5
500mm	HD10500H	HD105004GX	5
550mm	HD10550H	HD105504GX	5
600mm	HD10600H	HD106004GX	5

2



Drawer Sides and Cover Caps (left/right) /Industrial Package

Silk white(E29)!Grey matt(E30)!Black matt(E36)!

NL	Item No.	Set/ctn
270mm	HD1427011	5
300mm	HD1430011	5
350mm	HD1435011	5
400mm	HD1440011	5
450mm	HD1445011	5
500mm	HD1450011	5
550mm	HD1455011	5
600mm	HD1460011	5

3



Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark grey(H11)!Black(H06)
Item No. HD14014X
Set/ctn 20

5



Front Section / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-97
Silk White(E29)! Grey Matt(E30)!Black matt(E36)!
Item No. HT10022
Set/ctn 20

30




Rod for Push-open Synchronization
(For cutting to size,1100mm.
Cutting:Internal cabinet width LW-167)
Dark Grey(H11)
Item No. GG0FH01
Pcs/ctn 120

7



Square Cross Rail / Industrial Package
Silk White(E29)! Grey Matt(E30)
Size:1100mm.Cutting:
Internal cabinet width LW-72
Item No. HT10071
Set/ctn 60




Front section, cross rail and rod for push-open synchronization not included in the kit

PLANNING

Installation Dimensions(mm)

NL=Nominal Slide Length
LT=Internal Cabinet Depth
Soft close slides LT=NL+3
Push-open slides LT=NL+13




Cabinet Configuration


Cabinet widths/KB(mm)	Push-open drawer Synchronization rod
300	○
350	○
400	○
450	○
500	○
600	○
800	●
900	●
1000	●
1200	●

○ recommended
● strongly recommended

Fixing Hole Position for Push-open Inner Drawer(mm)




Screw Positions of the Slides(mm)




Installation Dimensions(mm)


LW=Internal Cabinet Width



Front Section, Back and Bottom Dimensions(mm)

Front section






Back
208mm

Bottom
NL−(13) mm


KB Cabinet width
LW Internal cabinet width
NL Nominal length




ASSEMBLY AND ADJUSTMENT

Assembly and Adjustment(for MAGIC-STAR ULTRA)


Drawer Assembly




Back assembly




Bottom assembly




Fix screws




Front assembly




Slide into the cabinet




Front Fixing-brackets Assembly




M Height front assembly



K Height front assembly




C Height front assembly




F Height front assembly


Adjustments for Lower/Medium Drawer(M/K Height)



Left&right adjustment




Up&down adjustment




Tilt adjustment


Removal for Lower/Medium Drawer(M/K Height)



Tip up the cover and pull out




Turn screw driver to release the drawer front




Press the locking device under drawer bottom and pull out the drawer


Adjustments for High Drawer/Super High Drawer (C/F Height)



Left&right adjustment




Up&down adjustment




Tilt adjustment


Removal of High Drawer/Super High Drawer (C/F Height)



Tip up the cover and pull out




Turn screw driver to release the drawer front




Press the locking device under drawer bottom and pull out the drawer


ASSEMBLY AND ADJUSTMENT


Low Inner Drawer/Medium Inner Drawer Front Section Assembly







High Inner Drawer/Super High Inner Drawer Front Section Assembly







Low Inner Drawer/Medium Inner Drawer with Glass Front Section Assembly






High Inner Drawer/Super High Inner Drawer with Glass Front Section Assembly







Cutting and Assembly of the Synchronization Rod



Cut the rod to fit the internal width of the cabinet





Assemble the accessories



Install the synchronization rod onto the slides


Gap Adjustment for Push-open Drawer





ORDER INFORMATION


FOR LOW INNER DRAWER

1 


Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark grey(H11)!Black(H06)
Item No. **HD11012X**
Set/ctn 60

2 

Front Section / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-97
Silk white(E29)!Grey matt(E30)!Black matt(E36)!
Item No. **HT10022**
Set/ctn 20




FOR LOW INNER DRAWER WITH GLASS FRONT

1 

Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark grey(H11)!Black(H06)
Item No. **HD11013**
Set/ctn 60

2 

Front Section / Industrial Package For cutting to size, 1100mm.Cutting:Internal cabinet width LW-97
Silk white(E29)!Grey matt(E30)!Black matt(E36)!
Item No. **HT10021**
Set/ctn 20




FOR MEDIUM INNER DRAWER

1 


Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark grey(H11)!Black(H06)
Item No. **HD12012X**
Set/ctn 60

2 

Front Section / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-97
Silk white(E29)!Grey matt(E30)!Black matt(E36)!
Item No. **HT10022**
Set/ctn 20




FOR HIGH INNER DRAWER

1 


Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark grey(H11)!Black(H06)
Item No. **HD13014X**
Set/ctn 60

2 

Front Section / Industrial Package
Size:1100mm.Cutting:Internal cabinet width LW-97
Silk white(E29)!Grey matt(E30)!Black matt(E36)!
Item No. **HT10022**
Set/ctn 20

3 

Square Cross Rail / Industrial Package
Silk white(E29)!Grey matt(E30)!Black matt(E36)!
Size:1100mm.Cutting:Internal cabinet width LW-72
Item No. **HT10071**
Set/ctn 60



ORDER INFORMATION


FOR HIGH INNER DRAWER WITH GLASS FRONT

1 


Front Fixing-brackets (left/right) / Industrial Package
White(H03)! Dark grey(H11)!Black(H06)
Item No. **HD13015**
Set/ctn 60

2 

Front Section / Industrial Package For cutting to size, 1100mm.Cutting:Internal cabinet width LW-97
Silk white(E29)!Grey matt(E30)!Black matt(E36)!
Item No. **HT10021**
Set/ctn 20



LOW GLASS FRONT（FOR LOW INNER DRAWER AND HIGH INNER DRAWER）




10mm Glass-front/Industrial Package

Glass(G01)! Ground Glass(G02)!
Figured Glass(G03)

Cabinet widths/KB (mm)	Item No.	Pcs/ctn
300mm	**HT11062300**	10
350mm	**HT11062350**	10
400mm	**HT11062400**	10
450mm	**HT11062450**	10
500mm	**HT11062500**	10
600mm	**HT11062600**	10
800mm	**HT11062800**	10
900mm	**HT11062900**	10
1000mm	**HT110621000**	10
1200mm	**HT110621200**	10

Cabinet side thickness: B=16mm. For different cabinet side thickness e.g 18mm or 19mm, customised glass-front is needed.

HIGH GLASS FRONT（FOR HIGH INNER DRAWER）



10mm Glass-front/Industrial Package

Glass(G01)! Ground Glass(G02)!
Figured Glass(G03)

Cabinet widths/KB (mm)	Item No.	Pcs/ctn
300mm	**HT13062300**	10
350mm	**HT13062350**	10
400mm	**HT13062400**	10
450mm	**HT13062450**	10
500mm	**HT13062500**	10
600mm	**HT13062600**	10
800mm	**HT13062800**	10
900mm	**HT13062900**	10
1000mm	**HT130621000**	10
1200mm	**HT130621200**	10

Cabinet side thickness: B=16mm. For different cabinet side thickness e.g 18mm or 19mm, customised glass-front is needed.

DIVIDING ACCESSORIES


Dividing Accessories (for MAGIC-STAR ULTRA)

DTC
Global Quality Benchmark

ORDER INFORMATION


Applicable with Metal Drawer Side

3		Divider/Industrial Package White(H03)! Dark Grey(H11) Item No. **HT10074** Set/ctn 60
4		Square Cross Rail Connector/Industrial Package White(H03)! Dark Grey(H11) Item No. **HT10072** Set/ctn 120
5		Square Cross Rail/Industrial Package Silk White(E29)! Grey Matt(E30) Item No. **HT10071** Set/ctn 20 (Size:1100mm Cutting:Internal Cabinet width LW-72)




Applicable with Metal Drawer Side

3		Divider/Industrial Package White(H03)! Dark Grey(H11) Item No. **M01076** Set/ctn 60
4		Square Cross Rail Connector/Industrial Package White(H03)! Dark Grey(H11) Item No. **HB01075** Set/ctn 60
5		Cross Divider/Industrial Package Silk White(E29)! Grey Matt(E30) Item No. **M01023** Set/ctn 20 (Size:1100mm Cutting:Internal Cabinet width LW-104)



Applicable with Metal Drawer Side(Wood Back)

3		Divider/Industrial Package White(H03)! Dark Grey(H11) Item No. **M01076** Set/ctn 60
4		Square Cross Rail Connector/Industrial Package White(H03)! Dark Grey(H11) Item No. **HB01075** Set/ctn 60
5		Cross Divider/Industrial Package Silk White(E29)! Grey Matt(E30) Item No. **M01023** Set/ctn 20 (Size:1100mm Cutting:Internal Cabinet width NL-90)



DTC is always innovating!
For more information, please visit our website www.dtcdtc.com

DIVIDING SYSTEMS

For MAGIC-STAR ULTRA

DTC
Global Quality Benchmark





For Low Drawer



Lateral Divider for Standard Low Drawer / Industrial Package

Grey Matt(E30)


NL	Item No.	Set/ctn
450mm	**HT1007C-450A**	20
500mm	**HT1007C-500A**	20



Lateral Divider for Inner Low Drawer / Industrial Package

Grey Matt(E30)


NL	Item No.	Set/ctn
450mm	**HT1007C-450Q**	20
500mm	**HT1007C-500Q**	20



Lateral Divider for Standard Low Drawer / Industrial Package

Grey Matt(E30)

NL	Item No.	Set/ctn
450mm	**HT1007E-450A**	20
500mm	**HT1007E-500A**	20




Lateral Divider for Inner Low Drawer / Industrial Package


Grey Matt(E30)

NL	Item No.	Set/ctn
450mm	**HT1007E-450Q**	20
500mm	**HT1007E-500Q**	20

Standard drawer



Inner drawer







For High Drawer



Lateral Divider for Standard High Drawer / Industrial Package

Grey Matt(E30)


NL	Item No.	Set/ctn
450mm	**HT1007D-450A**	20
500mm	**HT1007D-500A**	20



Lateral Divider for Inner High Drawer / Industrial Package

Grey Matt(E30)


NL	Item No.	Set/ctn
450mm	**HT1007D-450Q**	20
500mm	**HT1007D-500Q**	20



Lateral Divider for Standard High Drawer / Industrial Package

Grey Matt(E30)

NL	Item No.	Set/ctn
450mm	**HT1007F-450A**	20
500mm	**HT1007F-500A**	20




Lateral Divider for Inner High Drawer / Industrial Package


Grey Matt(E30)

NL	Item No.	Set/ctn
450mm	**HT1007F-450Q**	20
500mm	**HT1007F-500Q**	20

Standard drawer



Inner drawer




DTC
Global Quality Benchmark






For Low Drawer



Lateral Divider for Standard Low Drawer / Industrial Package

Grey Matt(E30)


NL	Item No.	Set/ctn
450mm	**HT1007E-450A**	20



Cross Divider for Standard Low Drawer / Kit Package

Dark Grey(H11)


NL	Width	Item No.	Set/ctn
450mm	85mm	**HK10074450-85**	20



Cross Divider for Standard Low Drawer / Kit Package

Dark Grey(H11)


NL	Width	Item No.	Set/ctn
450mm	97mm	**HK10074450-97**	20



Cross Divider for Standard Low Drawer / Kit Package

Dark Grey(H11)

NL	Width	Item No.	Set/ctn
450mm	135mm	**HK10074450-135**	20



Cross Divider for Standard Low Drawer / Kit Package


Dark Grey(H11)

NL	Width	Item No.	Set/ctn
450mm	147mm	**HK10074450-147**	20






For High Drawer



Lateral Divider for Standard High Drawer / Industrial Package

Grey Matt(E30)


NL	Item No.	Set/ctn
450mm	**HT1007F-450A**	20



Corss Divider for Standard High Drawer / Kit Package

Dark Grey(H11)


NL	Width	Item No.	Set/ctn
450mm	85mm	**HK10075450-85**	20



Corss Divider for Standard High Drawer / Kit Package

Dark Grey(H11)


NL	Width	Item No.	Set/ctn
450mm	97mm	**HK10075450-97**	20



Corss Divider for Standard High Drawer / Kit Package

Dark Grey(H11)

NL	Width	Item No.	Set/ctn
450mm	135mm	**HK10075450-135**	20




Corss Divider for Standard High Drawer / Kit Package

Dark Grey(H11)

NL	Width	Item No.	Set/ctn
450mm	147mm	**HK10075450-147**	20

For Low Drawer



Cross Divider / Industrial Package	
Grey Matt(E30)	
Item No.	**HT1007B**
Set/ctn	20
For Cross Divider (Size:1100mm.Cutting:Internal cabinet width LW-104)	



Cross Divder Connector/Industrial Package	
Dark Grey(H11)	
Item No.	**HT10079**
Set/ctn	60




Divider/Industrial Package	
Dark Grey(H11)	
Item No.	**HT1007A**
Set/ctn	60

For High Drawer



Cross Divider/Industrial Package	
Grey Matt(E30)	
Item No.	**M01023**
Set/ctn	20
For Cross Divider (Size:1100mm.Cutting:Internal cabinet width LW-104)	



Cross Divder Connector/Industrial Package	
Dark Grey(H11)	
Item No.	**HB01075**
Set/ctn	50



Divider/Industrial Package	
Dark Grey(H11)	
Item No.	**M01076**
Set/ctn	60

Plate

Plate / Industrial Package				
Dark Grey(H11)				
	NL	Width	Item No.	Set/ctn
	450mm	85mm	**HK10071-85**	60
	450mm	97mm	**HK10071-97**	60
	450mm	135mm	**HK10071-135**	60
	450mm	147mm	**HK10071-147**	60

For Low Drawer

Divider for Low Drawer / Industrial Package				
Dark Grey(H11)				
	NL	Width	Item No.	Set/ctn
	450mm	85mm	**HK10072-85**	120
	450mm	97mm	**HK10072-97**	120
	450mm	135mm	**HK10072-135**	120
	450mm	147mm	**HK10072-147**	120

For High Drawer

Divider for High Drawer / Industrial Package				
Dark Grey(H11)				
	NL	Width	Item No.	Set/ctn
	450mm	85mm	**HK10073-85**	120
	450mm	97mm	**HK10073-97**	120
	450mm	135mm	**HK10073-135**	120
	450mm	147mm	**HK10073-147**	120

CUTLERY-TRAY


PRODUCT



DESCRIPTION


- Flat pack, easy to assemble
- Bumpers on the front and the back
- Finish: Silk white(E29) . Grey matt(E30)

SPACE REQUIREMENT



LT=Internal Cabinet Depth
LT=NL+3


Flat Pack



For MAGIC-STAR ULTRA(HD)


Silk White(E29)! Grey Matt(E30)!

NL	Standard drawer item No.	Inner drawer item No.	Set/ctn
450mm	**HKDCP450A03**	**HBDCP450Q03**	10
500mm	**HKDCP500A03**	**HBDCP500Q03**	10



Item No.	A
HKDCP450A03	420.5
HKDCP500A03	470.5
HBDCP450Q03	411
HBDCP500Q03	461

*Not included the thickness of the bumpers(2mm each) on the front and the back



DTC is always innovating!
For more information, please visit our website www.dtcdtc.com

DTC
Global Quality Benchmark