



TOTAL POWER SYSTEM UNIVERSAL LED DRIVER SERIES



Led Drivers – Models

Input Voltage	Model No.	Output Voltage	Max Output Current	Power (W)	Dimensions (mm)
120-240V AC 50/60Hz	AL18W12VTOT00	12V	1.5A	18W	141.3x60x17
	AL18W24VTOT00	24V	0.75A		
	AL30W12VTOT00	12V	2.5A	30W	
	AL30W24VTOT00	24V	1.25A		
	AL60W12VTOT00	12V	5A	60W	181.4x60x17
	AL60W24VTOT00	24V	2.5A		
	AL90W24VTOT00	24V	3.75A	90W	216.3x60x17
220-240V AC	AL150W2VTOT00	24V	6.25A	150W	231.5x60x20



Wired Switches
for centralized
control *or/and*
single port
(branch) control

Double Door Sensor Switch 12/24V



Double Touch Sensor Switch 12/24V



Single Door Sensor Switch 12/24V



Motion (PIR) Sensor Switch 12/24V




Hand/Door Hybrid Sensor switch 12/24V




Specifications


1. Central / Branch control wired sensor switch (Door, Hand sweeping, Touch)
2. Safety low voltage, DC 12/24V, Max. 3A.
3. Embedded installation.




Dimensions



Installation



Central control connecting diagram



Branch control connecting diagram

