Composizione Stili Ellipse
Stili Ellipse Composition




stiliELLIPSE



Sistema compositivo a parete/soffitto nuovi profili e svariate possibilità di utilizzo: in un'abitazione come libreria o cabina armadio o in una zona living come parete attrezzata. Utilizzabile in un contesto commerciale come scaffalatura o per archiviazione in un ufficio.
I montanti verticali sono ordinabili con o senza predisposizione per inserimento LED.
Compatibile con subpporti ripiani.

Wall/celling modular system with new profiles and multiple possibilities of use: as a bookcase, as a walk-in closet, or as a media wall in a living area. Suitable also for commercial contexts, such as shops, as shelving system or offices as documents storage space.
The vertical uprights can be supplied with or without LED inserton slot, on demand.
Compatible with stiliphos shelf support.

Composizione Ellipse a soffitto
Ellipse floor to ceiling composition



Composizione Ellipse a soffitto

Per la composizione Ellipse a soffitto sono necessari:
- Elemento portante verticale (profilo con diffusore LED)
- Piedino regolabile
- Kit connessione a soffitto
- Elementi di fissaggio degli accessori


Il sistema Ellipse a soffitto è utilizzabile sia nel contesto residenziale che nel contesto ufficio e contract.
In area notte è un'ottima soluzione per attrezzare la cabina armadio e nelle aree living può essere impiegato come parete attrezzata o sistema divisorio/filtro tra due ambienti.
L'elemento di rinforzo centrale utilizzato come collegamento dell'elemento portante verticale alla parete muraria serve a dare a tutta la struttura una maggiore rigidezza e solidità.

Ellipse Ceiling Composition

For the Ellipse ceiling composition you need:
- Vertical load-bearing element (profile with LED diffuser)
- Adjustable foot
- Ceiling connection kit
- Accessory fixing elements

The Ellipse ceiling system can be used in both residential and office and contract contexts.
In the sleeping area it is an excellent solution for equipping the walk-in closet and in the living areas it can be used as a fitted wall or a dividing/filter system between two rooms.
The central reinforcing element used as a connection of the vertical load-bearing element to the masonry wall serves to give the entire structure greater rigidity and solidity.

Composizione Ellipse a parete
Ellipse floor to wall composition



Composizione Ellipse a parete

Per la composizione Ellipse a parete sono necessari:
- Elemento Portante Verticale (profilo con diffusore LED)
- Piedino regolabile
- Kit di raccordo (standard/light)
- Elementi di fissaggio degli accessori

Il sistema Ellipse a parete è utilizzabile sia nel contesto residenziale che nel contesto ufficio e contract. In area notte è un'ottima soluzione per attrezzare la cabina armadio nelle aree living può essere impiegato come parete attrezzata o sistema divisorio/filtro tra due ambienti. In contesti commerciali o direzionali il sistema Ellipse a parete può essere impiegato come scafalatura per esposizione prodotti (negozi) o per archiviazione documenti (uffici).
L'elemento di rinforzo centrale utilizzato come collegamento dell'elemento portante verticale alla parete muraria serve a dare a tutta la struttura una maggiore rigidezza e solidità.

Ellipse wall composition

The Ellipse wall composition requires:
- Vertical load-bearing element (profile with LED diffuser)
- Adjustable foot
- Connection kit (standard/light)
- Accessory fixing elements

The Ellipse wall system can be used in both residential and office and contract contexts. In the sleeping area it is an excellent solution for equipping the walk-in closet in the living areas it can be used as a fitted wall or a dividing/filter system between two rooms. In commercial or management contexts the Ellipse wall system can be used as a shelving unit for displaying products (shops) or for document storage (offices).
The central reinforcing element used as a connection of the vertical load-bearing element to the wall serves to give the entire structure greater rigidity and solidity.

* Il box contenitore deve essere sempre fissato al muro.
The storage box shall always be fixed to the wall.

Finiture anodizzate
Anodised finishes

09



Alluminio anodizzato spazzolato nero
Black anodised brushed aluminum


Per una reale valutazione, contattare il nostro ufficio tecnico-commerciale.
For a more precise colour evaluation, please contact our technical-commercial department.


stilIELLIPSE



Kit profili Profiles kit


Montante stilELLIPSE chiuso stilELLIPSE standard upright






Code	L mm	m	kg	min
MBPVC09	4800	38,4	40	38,4

Montante stilELLIPSE aperto per inserimento LED stilELLIPSE lighting upright






Code	L mm	m	kg	min
MBPVA09	4800	38,4	38	38,4

Kit piedino Adjustable legs kit for standard upright






Code	pcs	kg	min
MBKTPVC01ALFF	25	5	25

Regolazione -0/+20mm
Adjustment -0/+20mm

Kit piedino light Adjustable legs kit for lighting upright





Code	pcs	kg	min
MBKTPVA01ALFF	25	5	25


Regolazione -0/+20mm
Adjustment -0/+20mm

STILIELLIPSE

Kit profili Profiles kit

Kit connessione a soffitto Ceiling fixing accesories kit






Code	pcs	kg	min
MBKTPVC10ALFF	25	5	25

Kit connessione a soffitto light
Ceiling fixing accesories kit for lighting upright






Code	pcs	kg	min
MBKTPVA10ALFF	25	5	25

Kit fissaggio a parete palo aperto Kit upper wall connection element with lighting upright






Code	L mm	pcs	kg	min
MBKTA05 150 FF	150	25	6,5	25
MBKTA05 220 FF	220	25	6,5	25
MBKTA05 295 FF	295	25	6,5	25
MBKTA05 320 FF	320	25	6,5	25
MBKTA05 345 FF	345	25	6,5	25

Kit fissaggio a parete palo chiuso Kit upper wall connection element with standard upright





Code	L mm	pcs	kg	min
MBKTA05 150 FF	150	25	6,5	25
MBKTA05 220 FF	220	25	6,5	25
MBKTA05 295 FF	295	25	6,5	25
MBKTA05 320 FF	320	25	6,5	25
MBKTA05 345 FF	345	25	6,5	25

stiliELLIPSE



Fissaggio a parete palo luminoso – Wall fixing for lighting upright



Fissaggio a parete palo chiuso – Wall fixing for standard upright



Particolare luce palo luminoso – Light detail for lighting upright



Fissaggio a soffitto – Ceiling fixing



Piedino – Standard adjustable leg



Piedino per luce – Lighting upright adjustable leg


STILIPHOS STILIELLIPSE Kit accessori Accessories kit

Schermo diffusore LED LED shield




Code	mm	pcs	kg	pcs
MNSLP2800	2.800	28	2,5	28

Elemento di raccordo intermedio a muro Mid wall connection element



Code	mm	pcs	kg	pcs
MGKT06170XX	170	50	10	50
MGKT06245XX	245	50	12	50
MGKT06295XX	295	50	12	50

Elemento per appenderia con guarnizione Element for hangers with gasket




Code	mm	pcs	kg	pcs
MNKT020600XX	60/90/120	10	4	10
MNKT020900XX	60/90/120	10	6	10
MNKT021200XX	60/90/120	10	8	10

Tubo per appenderia con guarnizione Tube for hangers with gasket



Code	mm	pcs	kg	m
MGTAXLXX	4800	48	35	48

Kit accessori per appenderia Hangers accessories kit




Code	mm	pcs	kg	pcs
MNKT02AXX	--	25	0,5	25

STILIPHOS STILIELLIPSE Kit accessori Accessories kit

Elemento di fissaggio per mensole in legno Fixing element for wooden shelves






Code	L mm	pcs	kg	pcs
MNKT03XX	160	25	7	25

Elemento di fissaggio per mensole in vetro Fixing element for glass shelves






Code	L	pcs	kg	pcs
MNKT04XX	50	25	4	25

Elemento di fissaggio per mensole Fixing element for shelves






Code	L	pcs	kg	pcs
MNKT16XX	240	25	4	25

Kit cassettiera Drawer unit kit






Code	L	pcs	kg	pcs
MN/KT18XX	--	25	4	25


Da usare solo quando la cassettiera è agganciata al muro con apposite ferramenta.
To be used only when the chest of drawers is attached to the wall with appropriate hardware.

STILIPHOS STILIELLIPSE Kit accessori Accessories kit

Supporto mensola intermedio (per ripiani 16mm) Mid fixing element for shelf (For shelves 16mm)








Code	L	pcs	kg	pcs
MNKT19PLXX	25	25	2	25


Kit staffa scarpiera Shoe rack fixing element






Code	L	pcs	kg	pcs
MNKT11XX	160	25	4	25

Kit staffa cassettiera (alluminio grezzo) Drawer fixing element (raw aluminum)






Code	L	pcs	kg	pcs
MNKT20XX	--	25	4	25

Da usare in combinazione con code MNKT22xx.
To be used in combination with code MNKT22xx.

Kit cassettiera Kit drawer






Code	L	pcs	kg	pcs
MNKT22XX	--	25	4	25

Per fissare la cassettiera senza squadretta superiore abbinare MNKT20.
For drawer installation without upper bracket, please use MNKT20.

stiliPHŌS stiliELLIPSE Kit accessori Accessories kit

Elemento di fissaggio per telai Frame connection element






Code	L	pcs	kg	pcs
MNKT13XX	520	25	4	25

Elemento di raccordo per sistemi appendiabiti saliscendi Wardrobe lift connection element





Code	L	pcs	kg	pcs
MNKT14XX	145	25	4	25


STILIPHOS STILIELLIPSE Ripiani Shelves




STILIPHOS STILIELLIPSE Ripiani Shelves

Ripiano A / Shelf A

Telaio alluminio+ripiano in vetro con supporti laterali avvitati.
Aluminum frame+glass shelf with screwed lateral supports.



Sez. A – A'




Code	LxP mm	pcs	kg	min
RPA450PPPFFVV	(340/450) x 450	1	2,5	5
RPA600PPPFFVV	(340/450) x 600	1	3	5
PPA900PPPFFVV	(340/450) x 900	1	4,5	5
PPAC00PPPFFVV	(340/450) x 1200	1	6	5

Ripiano con predisposizione per inserimento led / Shelf with led insertion slot

Telaio alluminio+ripiano in vetro con supporti laterali avvitati.
Aluminum frame+glass shelf with screwed lateral supports.




Sez. A – A'



Code	LxP mm	pcs	kg	min
RPC450PPPFFVV	(340/450) x 450	1	2,5	5
RPC600PPPFFVV	(340/450) x 600	1	3	5
RPC900PPPFFVV	(340/450) x 900	1	4,5	5
RPCC00PPPFFVV	(340/450) x 1200	1	6	5

Finiture / finishes [FF]



Anodizzato nero spazzolato
Black brushed anodised




Anodizzato grigio oliva spazzolato
Olive grey brushed anodised

Finiture vetro / glass finishes [VV]




Trasparente extrachiaro
Extra clear transparent




Dark grey
Dark grey

Ripiano B / Shelf B

Lamiera verniciata con supporti dotati di adesivo strutturale (sistema certificato Catas).
Painted steel sheet with supports provided with structural adhesive (Catas certified system).




Sez. A – A'



Code	LxP mm	pcs	kg	min
RPB450PPPFFVV	(340/450) x 450	1	2	5
RPB600PPPFFVV	(340/450) x 600	1	2,5	5
RPB900PPPFFVV	(340/450) x 900	1	4	5
RPBC00PPPFFVV	(340/450) x 1200	1	5	5

Integrabile con tappetino 32R* a misura rifilato
Can be integrated, with a custom-cut mat

Finiture / finishes [FF]



Verniciato nero
Black varnished



Verniciato bianco opaco
Matt white varnished